## NEW BIRDS IN THE PHILATELIC AVIARY Charles E. Braun -BU 1364

#### New Birds

[Continued from Vol. 55 (2)]



# **BLACK-HEADED TODY-FLYCATCHER,** *Todirostrum nigriceps*

Tyrannidae (116.171)

Staffa, 1982, not cataloged, 25 pence

Length: 3 to 4 inches, sexes alike, resident. Yellow with a black head and in the wings and white throat.

Habitat: canopy and forest edges.

Range: Eastern Costa Rica to western Venezuela and western Ecuador. Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the

Birds of the World, Volume 9.

**COCK-TAILED TYRANT,** *Alectrurus tricolor* Tyrannidae (116.325) Staffa, 1982, not cataloged, 10 pence

Length: 5 inches, resident. The male (shown on the stamp) is black above and white below with a white face, grayish rump, brown-fringed wings and a wide stiff tail; the female is mottled brown above and tinged buff below with a normal tail.

Habitat: grasslands.

Range: Eastern Bolivia to southern Brazil.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds.

Handbook of the Birds of the World, Volume 9.





## STREAMER-TAILED TYRANT, Gubernetes yetapa

Tyrannidae (116.327)


Staffa, 1982, not cataloged, 75 pence

Length: 14 to 15 inches, sexes similar but the female is smaller, resident. Gray with a white throat outlined in black and dark wings with a cinnamonrufous patch.

Habitat: palm groves, grasslands and marshy terrain.

Range: Northeastern Bolivia; eastern Paraguay to southeastern Brazil. Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the

Birds of the World, Volume 9.



#### LEMON-BROWED FLYCATCHER,

Conopias cinchoneti Tyrannidae (116.380) Grunay, 1982, not cataloged, 40 pence

Length: 6 inches, sexes alike, resident. Olive above and yellow below and

superciliary with a brownish tail. Habitat: forest edges and clearings.

Range: Western Venezuela to south-central Peru.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the

Birds of the World, Volume 9.

## **AUSTRALASIAN PIPIT,**

Anthus novaeseelandiae Motacillidae (124.027) Staffa,1982, not cataloged, 2 pounds

Length: 7 inches, sexes alike, resident. Fulvous brown above and pale streaked below.

Habitat: short grass.

Range: New Guinea to Australia

and New Zealand.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 9.





## CAPE VERDE SWAMP-WARBLER,

Acrocephalus brevipennis Sylviidae (140.098) Cape Verde Islands, 2005, not yet cataloged, 55 escudos

Length: 5 inches, sexes alike, resident. Gray-brown above and off-white below with a rufescent rump and brownish flanks.

Habitat: well-vegetated valleys.

Range: Sao Tiago, Cape Verde Islands.

Reference: K.Baker. Warblers of Europe, Asia and North Africa.



## CHESTNUT-CROWNED WARBLER,

Seicercus castaniceps Sylviidae (140.227) India, 2005, not yet cataloged, 5 rupees

Length: 4 inches, sexes alike, resident. Black-striped chestnut crown, olive-green mantle with yellow rump, flanks and wingbars.

Habitat: dense montane forests.

Range: Central China to northern India, Vietnam, Malaya and

Sumatra.

Reference: Baker, K. Warblers of Europe, Asia and North Africa.

## **BROWN-THROATED WATTLE-EYE,**

Platysteira cyanea Platysteiridae (143.004) Staffa, 1982, not cataloged, 1 pound


Length: 5 inches, resident. The male is black above and white below with a broad black breast bant and a white wing-stripe; the female (shown on the stamp) is slate-gray above and white below with a brown throat and breast and white wing-stripe.

Habitat: open forest, forest edges, gardens and farms.

Range: Senegal to Ethiopia, Angola and Tanzania.

Reference: Harris, T. and K. Franklin. Shrikes and Bush-

Shrikes.





#### WHITE-BELLIED FANTAIL,


Rhipidura euryura Rhipiduridae (144.008) Staffa, 1982, not cataloged, 75 pence

Length: 7 inches, sexes alike, resident. Dark blue-gray above with white brow, belly and tail tips and dull gray throat and chest.

Habitat: forest.

Range: Mountains of Java.

Reference: MacKinnon, J. Field Guide to he Birds of Java and Bali.



**YELLOW-BREASTED BOATBILL**, *Machaerirhynchus flaviventer* Monarchidae (145.098) Australia, 2005, not yet cataloged, 50 cents envelope

Length: 5 inches, resident. The male is black above and yellow below with a yellow brow and whte wingbars; the female is paler and yellow-olive above.

Habitat: rainforest. Range: New Guinea and northeastern Australia.

Reference: Slater, P. A Field Guide to Australian Birds, Volume 2.



#### RED-BREASTED NUTHATCH,

Sitta canadensis Sittidae (161.014) Eynhallow, 1982, not cataloged, 60 pence

Length: 4 inches, sexes similar but the female is duller, migratory. Gray-blue above and ochre-cinnamon below with a white supercilium and throat and a black cap and eyestripe.

Habitat: woodland.

Range: Breeds from southern Alaska and Labrador to New

Mexico and the Appalachians; winters from Canada to the southern United States. Reference: Harrap, S. and D.Quinn. Chickadees, Tits, Nuthatches & Treecreepers.



#### **CAMEROON SUNBIRD,**

Cyanomitra oritis (probable) Nectariniidae (166.030) Staffa, 1982, not cataloged, 25 pence

Length: 5 inches, sexes similar, resident. Olive-green above and yellowish below with a blue and purple or green head and throat.

Habitat: montane forest.

Range: Nigeria, Cameroon and Bioko Island (Equatorial Guinea). Reference: Cheke, R. A., C. F. Mann and R. Allen. Sunbirds.



## PURPLE-BANDED SUNBIRD, Cinnyris bifasciatus (probable)

Necteriniidae (166.075)

Staffa, 1982, not cataloged, 75 pence

Length: 4 inches, resident. The male (shown on the stamp) is greenish with a blue breast band and dark underparts; the female is brown above and streaked creamy below with a white stripe over the eye.

Habitat: lowland woodlands, savanna, and cultivated areas.

Range: Rwanda to Mozambique; Congo to northeastern South Africa; and Angola.

Reference: Cheke, R. A., C. F. Mann and R. Allen. Sunbirds.

#### RED-COLLARED MYZOMELA,

*Myzomela rosenbergii* Meliphagidae (173.048) Bernera, 1982, not cataloged, 15 pence

Length: 4.3 inches, resident. The male (shown on the stamp) is red with a black head, wings and tail; The female is brown with two wingbars and a red throat.

Habitat: mountain forest and shrubs. Range: New Guinea mountains.

Reference: Beehler. B. M., T.K. Pratt and D. A. Zimmerma, Birds of New Guinea.



#### PHILIPPINE FAIRY-BLUEBIRD,

*Irena cyanogaster* Irenidae (175.002) Bernera, 1982, not cataloged, 35 pence

Length: 11 inches, sexes similar, but the female is duller, resident. Black with cobalt-blue crown, rump, wings and undertail.

Habitat: forest. Range: Philipppines. Reference: duPont, J. E. Philippine Birds.



## HOODED BUTCHERBIRD, Cracticus cassicus

Cracticicidae (186.005)

Bernera, 1982, not cataloged, 75 pence

Length; 12.5 inches, sexes alike, resident. White with black hood, wings and tail.

Habitat: forests, forest edges and gardens.

Range: New Guinea.

Reference: Beehler. B. M., T.K. Pratt and D. A. Zimmerman. Birds of New Guinea.



## METALLIC STARLING, Aplonis metallica Sturnidae (190.001)

Australia, 2005, not yet cataloged, 50 cents envelope

Length: 10 inches, sexes alike, resident. Iridescent black with a long graduated tail and red eye.

Habitat: rainforest. Range: Moluccas to northeastern Australia and the Solomons.

Reference: Slater, P. A Field Guide to Australian Birds, Volume 2.



**CAPE VERDE SPARROW,** *Passer iagoensis* Passeridae (191.009) Cape Verde Islands, 2005, not yet cataloged, 19 escudos.

Length: 5 inches, resident. The male (shown on the stamp) has a black crown and gray nape white face, wing mark and below with a warm-brown crescent from the eye down the side of the neck; the female is grayish with a pale supercilium and white wing mark.

Habitat: open areas.

Range: Cape Verde Islands.

Reference: Clement, P., A. Harris and J. Davis. Finches and Sparrows.



**CRIMSON SEEDCRACKER,** *Pyrenestes sanguineus* Estrildidae (193.019)

Eynhallow, 1982, not cataloged, 60 pence

Length: 5 inches, resident. The male (shown on the stamp) is earth brown with crimson head, breast, flanks and tail; the female is similar with brown flanks and nape.

Habitat: swamps, marshes and dense undergrowth along rivers and streams.

Range: Coastal Senegal to the Ivory Coast.

Reference: Clement, P., A. Harris and J. Davis. Finches and Sparrows.



#### WESTERN BLUEBILL,

Spermatophaga haematina Estrildidae (193.023) Eynhallow, 1982, not cataloged, 60 pence

Length: 6 inches, resident, The male (shown on the stamp) is black with red throat breast and sides; the female has a dusky red head and a white-spotted belly

Habitat: dense vegetation.

Range: Southern Sudan to northern Angola;

eastern Tanzania.

Reference: D. Goodwin. Estrildid Finches of the World.

## **BLACK-HEADED WAXBILL,**

Estrilda atricapilla Estrildidae (193.060) Staffa, 1982, not cataloged, 1 pound

Length: 4 inches, sexes similar but the female is paler, resident. Gray with a black head, belly and tail and bright red rump, flanks and upper tail.

Habitat: grasslands.

Range: Southeastern Nigeria to northwestern Angola; Zaire to central Kenya. Reference: Clement, P., A. Harris and J.

Davis. Finches and Sparrows.





#### WHITE-BROWED ROSEFINCH,

Carpodacus thura Fringillidae (196.031) Bernera, 1982, not cataloged, 40 pence

Length: 7 inches, resident. The male (shown on the stamp) is brown above and rosy below and rump with a dark eye stripe; the female is streaked brown above and streaked buff below with a pale supercilium.

Habitat: forest edges, alpine meadows and scrub.

Range: Northeastern Afghanistan to northwestern China and

northern India.

Reference: Clement, P., A. Harris and J. Davis. Finches and Sparrows.



#### KENTUCKY WARBLER,

*Oporornis formosus* Parulidae (199.050) Bernera, 1982, not cataloged, 40 pence

Length: 5 inches, migratory. The male (shown on the stamp) is greenish above and yellow below with yellow spectacles and a black crown that extends down the side of the neck; the female lacks the black crown.

Habitat: deciduous forests.

Range: Breeds in the eastern United States; winters from southern Mexico to northern Colombia.

Reference: J. Curson, D. Quinn and D. Beadle. Warblers of the Americas.



## **GRAY-THROATED CHAT,** Granatellus sallaei

Parulidae (199.114) Bernera, 1982, not cataloged, 40 pence

Length: 5 inches, resident. The male (shown on the stamp)is gray with a red belly and white sides and postocular stripe: the female is gray above and yellow below.

Range: Southeastern Mexico, Guatemala and Belize.

Reference: J. Curson, D. Quinn and D. Beadle. Warblers of the

Americas.

#### WHITE-WINGED BRUSH-FINCH,

Atlapetes leucopterus Embirizidae (202.217) Grunay, 1982, not cataloged, 1 pound. [Illustration reduced]

Length: 6 to 6.5 inches, sexes alike, resident. Gray above and whitish below with a cinnamon-rufous crown and nape and white speculum.

Habitat: brush and low woodland.

Range: Central Ecuador to northwestern Peru.

Reference: Ridgely, R. S. and G. Tudor. The Birds of South America,

Volume I.





#### FIELD SPARROW, Spizella pusilla

Embirizinidae (202.271)

Bernera, 1982, not cataloged, 75 pence

Length: 5 inches, sexes alike, migratory. Rusty above and clear whitish below with a pink bill.

Habitat: bushy pastures, brush and scrub.

Range: Breeds in southeastern Canada and the eastern United States; winters in the eastern U.S. and northeastern Mexico.

Reference: Peterson, R. T. A Field Guide to the Birds East of the Rockies.

## NEW BIRDS IN THE PHILATELIC AVIARY Charles E. Braun -BU 1364

These are all recent issues. The British locals will resume in the next issue.



**NEW CALEDONIAN RAIL,** *Gallirallus lafresnayanus* Rallidae (046.041) New Caledonia, 2006, not yet cataloged, 75 francs

Length: 18 to 19 inches, sexes alike, resident. Brown above and grayish below.

Habitat: coastal marshes. Range: New Caledonia.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of

SURINAM

the World, Volume 3

**ASH-THROATED CRAKE,** *Porzana albicollis* Rallidae (046.093) Surinam, 2006, not yet cataloged, \$0.80

Length: 9 inches, sexes alike, resident. Streaked brown above and gray

below with dusky legs and a greenish-yellow bill.

Habitat: freshwater wetlands and fields. Range: Colombia to northeastern Argentina.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 3.



## YELLOW-WATTLED LAPWING, Vanellus malabarica

Charadriidae (060.006)

Micronesia, 2006, not yet cataloged, 84 cents.

Length: 10 to 11 inches, sexes alike, resident. Brown upperparts and breast with a white belly, black crown and chin and yellow wattles.

Habitat: dry, open areas.

Range: Southern Pakistan and Bangladesh to Sri Lanka.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of

the World, Volume 3.



**GRAY-FRONTED DOVE,** *Leptotila rufaxilla* Columbidae (072.135)


Surinam, 2006, not yet cataloged, \$0.20

Length: 11 inches, sexes alike, resident. Olive brown above and pinkish below with a bluish crown and throat and red orbital skin.

Habitat: forest.

Range: Eastern Colombia to northern Argentina.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 4.



## HARTLAUB'S GULL, *Larus hartlaubii* Laridae (067.030) Namibia, 2006, not yet cataloged, \$4

Length: 15 inches, sexes alike, resident. White with a gray mantle, deep red legs and bill and brown eyes.

Habitat: coasts, harbors, lawns, garbage dumps and

slaughterhouses. Range: Coastal southwestern Africa

from Namibia to the Cape of Good Hope.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook

of the Birds of the World, Volume 3.



#### NEW CALEDONIAN LORIKEET, Charmosyna diadema

Psittacidae (000.006.600)

New Caledonia, 2006, not yet cataloged, 75 francs

Length: 7 inches, resident. The female (shown on the stamp) is green with yellow cheeks, throat and undertail and a red vent; the male is unknown.

Habitat: forest.

Range: Extinct; formerly New Caledonia.

Reference: Forshaw, J. M. and W.T. Cooper.Parrots of the World.



## **SCARLET-THROATED PARROTLET,** *Touit huetii* Psittacidae (074.271)

Peru, 2006, not yet cataloged, 5.50 soles.

Length: 6 inches, resident. The male (shown on the stamp) is green, paler below with blue wings and front, olive-brown crown and nape and red outer tail; the female has a greenish-vellow outer tail.

Habitat: humid lowland. Range: Lower Amazon; Venezuela

and Guyana; eastern Ecuador to northern Bolivia.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of

the World, Volume 4.



## **DUSKY EAGLE-OWL**, *Bubo coromandus* Strigidae (078.083)

Tadjikistan, 2006, not yet cataloged, 2.00 somonis

Length: 19 to 21 inches, sexes alike, resident. Grayish brown above and narrowly black-streaked gray below with prominent rounded ear tufts.

Habitat: open level areas with woodland.

Range: Pakistan to western India and western Thailand.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 5.



## NEW CALEDONIAN OWLET-NIGHTJAR, Aegotheles savesi

Aegothelidae (080.007)

New Caledonia, 2006, not yet cataloged, 75 francs

Length: 11 inches, sexes alike, resident. Brown with narrow grayish-white barring.

Habitat: mountainous riverine forest. Range: Southwestern New Caledonia.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of

the World, Volume 5.



**NACUNDA NIGHTHAWK,** *Podager nacunda* Caprimulgidae (083.009) Surinam, 2006, not yet cataloged, \$0.15

Length: 11 to 13 inches, resident. The male (shown on the stamp) is speckled brown above with a broad finely-barred band on the upper breast and a white wingband and tail tips; the female is barred brown below and lacks the white tail tips.

Habitat: savanna, grassland, marshland and forest edges.

Range: Northern Colombia to central Argentina.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 5.



**PALE-TAILED BARBTHROAT,** *Threnetes niger* Trochilidae (086.008) Surinam, 2006, not yet cataloged, \$0.05

Length: 4 inches, sexes similar, resident. Green with a black face and throat.

Habitat: forest openings.

Range: Eastern Colombia to northeastern Brazil and northern Bolivia.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the

Birds of the World, Volume 5.



**PURPLE SUNBIRD,** Cinnyris asiaticus Nectariniidae (166.093)

Micronesia, 2006, not yet cataloged, 39 cents This species was shown previously on a 40-peseta 1993 stamp from Western Sahara.

Length: 4 inches, resident. The male (shown on the stamp) is metallic purple with yellow and scarlet pectoral tufts; the female is olive-brown above and dull yellow below.

Habitat: gardens, scrub and forests.

Range: Oman to Sri Lanka and Vietnam.

Reference: Cheke, R. A., C. F. Mann and R. Allen. Sunbirds.