
NEW BIRDS IN THE PHILATELIC AVIARY Charles E. Braun -BU 1364

Correction

In *Biophilately* 55 (3), The parrot on the Peru stamp is a Scarlet-shouldered Parrot.

New Birds

Our new Ornithology Editor, Glenn Mertz, has pointed out a number of new birds that were not written up at the time the stamps were issued. Some are given below. I will catch up on the others as quickly as I can.



BLACK-WINGED PETREL, *Pterodroma nigripennis* Procellariidae (011.033) Norfolk Island, 2006, not yet cataloged, 70 cents

Length: 11 to 12 inches, sexes alike, pelagic. Gray above with a dark **W** across the upper wings and dark-edged white wings below, with a short, stout black bill and flesh-colored legs.

Habitat: highly pelagic.

Range: Breeds on islands off the northern coast of New Zealand, and migrates to the northern Pacific.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 1.



PUNA IBIS, *Plegadis ridgewayi* Threskiornithidae (024.026) Peru, 2006, not yet cataloged, 5.50 soles

Length: 22 to 24 inches, sexes alike, resident. All dark with a reddish bill. Habitat: mountainous wetlands.

Range: Central Peru to northwestern Argentina.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 1.

ANDEAN GOOSE, *Chloephaga melanoptera* Anatidae (027.036) Peru, 2006, not yet cataloged, 6 soles

Length: 28 to 32 inches, sexes alike, resident. White with a black back and tail.

Habitat: mountainous wetlands.

Range: Central Peru to central Argentina.


Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 1.





Birds of the World, Volume 2.





Length: 11 to 14 inches, sexes similar, migratory. Slate gray above and rufous below with orangy yellow feet, legs and cere. Habitat: woodlands.

Range: Breeds in Korea and eastern China; winters from southeastern China to western New Guinea.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the

WHITE-TAILED HAWK, *Buteo albicaudatus* Accipitridae (030.182) Netherlands Antilles, 1998, 849, 75 cents

Length: 20 to 24 inches, sexes alike, resident. Polymorphic; the pale morph is shown on the stamp. Ashy-gray head and above and whitish below with rufous shoulders and a white tail with a black subterminal band.

Habitat: semi-arid country and palm savanna.

Range: Southern Texas to central Argentina.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 2.



BAT FALCON, *Falco rufigularis* Falconidae (032.045) Surinam, 1996, 1054, 1.60g

Length: 10 to 12 inches, sexes alike but female is larger, resident. Black above and barred breastband with a white throat, breast and halfcollar and chestnut-rufous undertail.

Habitat: tropical forest.

Range: Mexico to northern Argentina.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 2.



VITA LEVU RAIL, *Vitirallus watlingi* Rallidae (4.850) Fiji, 2006, not yet cataloged, \$1.20

A fossil of this flightless bird was found in 1998. It became extinct in the Late Quaternary Period, probably around 1000 B.C. Taxonomically, it is related to the genus *Gallirallus*.

Habitat: dry areas.

Range: Formerly Vita Levu, Fiji.

Reference: Worthy, T. H. Journal of the Royal Society of New Zealand, Volume 31, Number 4, pp 763-794.





the Birds of the World, Volume 4.



the Birds of the World, Volume 4.



TUAMOTU SANDPIPER, *Prosobonia cancellata* Scolopacidae (062.058)

French Polynesia, 2006, not yet cataloged, 250 francs

Length: 6 to 7 inches, sexes alike, resident. Spotted dark brown with a short thin bill.

Habitat: tiny atolls. Range: Tuamotu Islands, French Polynesia. Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 5.

POLYNESIAN GROUND-DOVE, *Gallicolumba erythroptera* Columbidae (072.171)

French Polynesia, 2006, not yet cataloged, 250 francs

Length: 10 inches, resident. The male (shown on the stamp) is dark olive gray above with a black belly with a white face to breast; the female is brownish gray with a rusty tinged bib.

Habitat: atolls. Range: Tuamotu Archipeligo, French Polynesia. Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of

BARE-FACED GROUND-DOVE, Metropelia ceciliae

Columbidae (072.128) Peru, 2006, not yet cataloged, 6 soles

Length: 7 inches, sexes alike, resident. White-spotted brown above, pale buffy brown below with white tail tips and bright yellow orange orbital skin.

Habitat: paramo and puna zones.

Range: Peru to northern Chile.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of

MARIANA FRUIT-DOVE, Ptilinopus roseicapilla

Columbidae (072.235) Nauru, 2005, 536f, \$1

Length: 9 inches, sexes alike, resident. Green above and silvery-gray neck and breast with a yellow-bordered rose-red crown and orangy belly.

Habitat: forests.

Range: Marianas Islands.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 4.



Sahara.





PEMBA GREEN-PIGEON, *Treron pembaensis* Columbidae (072.203)
Tanzania, 2006, not yet cataloged, 600 shillings
Length: 10 inches, sexes alike, resident. Green above, grayish head and below with yellow leggings.
Habitat: forest canopy, plantations and secondary growth.
Range: Pemba Island, Tanzania.
Reference: Sinclair, I. and P. Ryan. Birds of Africa South of the

ATOLL FRUIT-DOVE, *Ptilinopus coralensis* Columbidae (072.240) Nauru, 2005, 536a, \$1

Length: 9 inches, sexes alike, resident. Green above with a gray head, neck and below and lavender forecrown. Habitat: coral atolls. Range: Tuamotu Archipeligo. Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 4.

VELVET DOVE, *Ptilinopus layardi* Columbidae (072.262) Nauru, 2005, 536e, \$1

Length: 8 inches, resident. The male (shown on the stamp) is green with a greenish yellow head and yellow undertail; the female has a dark olive-green head.

Habitat: lowland forests.

Range: Kandavu and Ono, southwestern Fiji.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the

Birds of the World, Volume 4.



VITA LEVU GIANT PIGEON, *Natunaornis gigoura* (extinct) Columbidae (6.450)

Fiji, 2006, not yet cataloged, \$1.10

Length: 32 inches. A fossil of this flightless bird was found in 1998. It became extinct in the Late Quaternary Period, probably around 1000 B.C. Taxonomically, it is between the genera *Ptilinopus* and *Drepanoptila*. Range: Formerly Vita Levu, Fiji.

Reference: Worthy, T. H. Journal of the Royal Society of New Zealand, Volume 31, Number 4, pp 763-794.



BARE-FACED GO-AWAY-BIRD, *Corythaixoides personatus* Musophagidae (075.019)

Liberia, 1998, 1350h, 32 cents

Length: 19 inches, sexes alike, resident. Smoky-gray above and pale sagegreen below with a white neck and a bare dark-brown face.

Habitat: open woodland and acacia scrub.

Range: Ethiopian Rift Valley and southwestern Kenya to northeastern Zambia.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 4.



PEMBA SCOPS-OWL, *Otus pembaensis* Strigidae (078.036) Tanzania, 2006, not yet cataloged, 600 shillings

Length: 6 inches, sexes alike, resident. Dimorphic; the bird on the stamp is rufous phase. Rufous with small ear tufts, pale scapular spots and light eyebrows.

Habitat: well-wooded areas and clove and mango plantations.

Range: Pemba Island, Tanzania.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 5.



USAMBARA EAGLE-OWL, *Bubo vosseleri* Strigidae (078.078) Tanzania, 2006, not yet cataloged, 800 shillings

Length: 19 inches, sexes alike, resident. Brown above and a heavily blotched breast below with orange eyes.

Habitat: evergreen forest. Range: Eastern Arc Mountains, Tanzania. Reference: Sinclair, I. and P. Ryan. Birds of Africa South of the Sahara.



ABYSSINIAN NIGHTJAR, Caprimulgus poliocephalus

Caprimulgidae (083.064)

Tanzania, 2006, not yet cataloged, 600 shillings

Length: 9 inches, sexes similar but female is paler, resident. Dark brown with white outer tail tips and small patches near the wing tips. Habitat: woodland, forest edges and scrub. Range: Ethiopia to northent Tanzania.

Reference: Sinclair, I. and P. Ryan. Birds of Africa South of the Sahara.

BLACK-BILLED STREAMERTAIL, Trochilus scitulus

Trochilidae (086.090) Dominica, 2000, 2254a, \$1.65 This was "unidentified" in *Biophilately* 50 (2), page 144.

Length: 9 to 14 inches, resident. The male (shown on the stamp) is green with black wings, very long tail, bill, head and elongated ear coverts; the female is pale green above and lightly spotted white below.

Range. Extreme eastern Jamaica.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 5.



Habitat: wet semi-open spaces.

SCARLET-RUMPED TROGON, *Harpactes duvaucelii* Trogonidae (088.036) Liberia, 1998, 1350e, 32 cents

Length: 9 inches, resident. The male (shown on the stamp) is red with a buffy yellow back and black hood and wings; the female has a dull-brown head and lacks the red rump and breast.

Habitat: semi-evergreen and evergreen forest.

Range, Peninsular Thailand to Sumatra and Borneo.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 6.

DWARF KINGFISHER, *Ispidina lecontei* Alcedinidae (089.023) Guinea, 2001, 1963d, 750 francs

Length: 4 inches, sexes alike, resident. Blue back and wings and rufous head and below with a black forehead.

Habitat: forest understory.

Range: Sierra Leone to western Uganda and northern Angola.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 6.





BLACK-CRESTED ANTSHRIKE, Sakesphorus canadensis

Thamnophilidae (109.011) Surinam, 1997, 1110, 275g

Length: 6 inches, resident. The bird on the stamp is the subspecies S. *c. canadensis*; the male has a black head and throat, cinnamon-brown above with black wings, white collar and wingbars; the female has a rufous crown, grayish face and cinnamon nape and neck. Other

subspecies have varying amounts of black and some white in the head.

Habitat: understorey and midstorey woodlands and dense shrubs.

Range: Subspecies *canadensis* occurs in Surinam and French Guiana. Other subspecies occur from Trinidad to Colombia and Amazonian Peru.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 8.



GURNEY'S PITTA, *Pitta gurneyi* Pittidae (118.010) Tanzania, 1998, 1715c, 370 shillings

Length: 8 inches, resident. The male (shown on the stamp) is brown above with a black head and breast and yellow collar and sides; the female is finely barred yellow below with a yellow-buff crown, black face and white throat.

Habitat: lowland forest.

Range: Southern peninsular Thailand.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 8.



Sahara.





117, Number 2, pp 113-127.

BEESLEY'S LARK, *Chersomanes beesleyi* Alaudidae (122.041.100) Tanzania, 2006, not yet cataloged, 600 shillings

Length: 5 inches, sexes alike, resident. Brown above and faintly whitestreaked buffy below with a white throat and a short white-tipped tail. Habitat: short grasslands.

Range: Mount Kilimanjaro, Tanzania.

Reference: Sinclair, I. and P. Ryan. Birds of Africa South of the

USAMBARA HYLIOTA, *Hyliota usambarae* Sylviidae (140.236) Tanzania, 2006, Upper left bird in the surrounds of a sheet of six 600-shilling stamps.

Length: 5 inches, sexes alike, resident. Black above and orangeyellow below with large white wing patches. Habitat: forest and forest edge. Range: Usumbura Mountains, northeastern Tanzania. Reference: Sinclair, I. and P. Ryan. Birds of Africa South of the Sahara.

IQUITOS GNATCATCHER, *Polioptila clementsi* Polioptilidae (141.011.100)

Peru, 2006, not yet cataloged, 6 soles

Length: 4 inches, sexes similar, resident. Gray above and breast with a narrow eyering and a whitish belly. Habitat: humid forest.

Range: Allapahuayo National Reserve, near Iquitos, Peru. Reference: Whitney, B. M and J. A. Alonso. Wilson Bulletin, Volume

[to be continued]