



GRAY SILKY-FLYCATCHER, *Ptilogonys cinereus* Ptilogonatidae (128.002)
Lesotho, 2007, not yet cataloged, 6m

Length: 7 to 8 inches, resident. The male (shown on the stamp) is gray with yellowish flanks and white at the base of the undertail; the female is dusky vinaceous above and dull vinaceous below with yellow undertail coverts.

Habitat: humid to semiarid oak and evergreen forest.

Range: Mexico and western Guatemala.

Reference: Howell, S. N. G. and S. Webb. A Guide to the Birds of Mexico and Northern Central America.



LONG-TAILED MOCKINGBIRD, *Mimus longicaudatus* Mimidae
(134.011)

Peru, 2007, not yet cataloged, 5.50 soles

Length: 11 to 12 inches, sexes alike, resident. Gray with a long graduated tail, white throat and supercilium and black eyestripe.

Habitat: arid regions, tree groves and farms.

Range: Southwestern Ecuador and western Peru.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 10.



PERE DAVID'S LAUGHINGTHRUSH, *Garrulax davidi*
Timaliidae (147.022)

China (Taiwan), 1997, 3152f, \$5

Length: 9 to 10 inches, sexes alike, resident. Plain gray-brown with a yellow bill and a mostly blackish tail.

Habitat: scrub forests, thickets and low bushes.

Range: Northern Manchuria to northern Sichuan, China.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 12.




WHITE-BELLIED YUHINA, *Yuhina zantholeuca*, Timaliidae (147.270)
Palau, 2007, not yet cataloged, 80 cents

Length: 5 inches, sexes alike, resident. Yellowish-green above & grayish-white below with a short crest and slender bill.

Habitat: forest.

Range: Nepal to Taiwan and Borneo.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 12.



MIOMBO SUNBIRD, *Cinnyris manoensis* Nectariniidae (164.056)
Botswana, 1982, 304, 2t

Length: 5 inches, resident. The male (above) has a green back, head and throat, pale olive-gray belly and a red breast band; the female (below) is gray-brown above and pale gray below.

Habitat: Miombo woodland and open savanna.

Range: Tanzania to Zimbabwe and Angola.

Reference: Cheke, R. A., C.F. Mann and R. Allen. Sunbirds.



TEMMINCK'S SUNBIRD, *Aethopyga temminckii* Nectariniidae (164.120)
Malaysia, 1997, 608, \$1

Length: 4 inches, resident. The male (below) has a scarlet head, shoulders, breast and tail, dark wings and a gray belly; the female (above) is gray, paler below, with reddish wings and rounded tail.

Habitat: forests.

Range: Peninsular Thailand to Sumatra and Borneo.

Reference: Cheke, R. A., C.F. Mann and R. Allen. Sunbirds.



CHINESE GRAY SHRIKE, *Lanius sphenocercus* Laniidae (174.017)
China (Taiwan), 2008, not yet cataloged, \$15

Length: 12 inches, sexes alike, resident. Gray above and off-white below with a black mask, wings and tail and white outertail and wing patches.

Habitat: broad valleys, pastures and cultivated areas.

Range: Eastern Siberia to eastern Tibet; winters in Korea and eastern China.

Reference: Harris, T. and K. Franklin. Shrikes and Bush-Shrikes



BRONZED DRONGO, *Dicrurus aeneus* Dicruridae (178.014)
China (Taiwan), 2008, not yet cataloged, \$1

Length: 9.5 inches, sexes alike, resident. Black with a very glossy metallic sheen and a deeply forked flat-tipped tail.

Habitat: dense woodlands. Range: Taiwan to India and Borneo.

Reference: King, B.F. and E. C. Dickenson. A Field Guide to the Birds of South-East Asia.



GRAY TREEPIE, *Dendrocitta formosae* Corvidae (187.055)
 China (Taiwan), 2008, not yet cataloged, \$10

Length: 15 inches, sexes alike, resident. Dull brown above and pale gray nape, rump and below with a black face and a small white patch on black wings.
 Habitat: forest, scrub and second growth.
 Range: Taiwan to India and Southeast Asia.
 Reference: King, B.F. and E. C. Dickenson. A Field Guide to the Birds of South-East Asia.



GREEN-FACED PARROTFINCH, *Erythrura viridifacies* Estrildidae (191.092)
 Philippines, 2007, not yet cataloged, 24p

Length: 5 inches, sexes alike, but the female has a shorter tail, resident. Green with a dark red tail.
 Habitat: forest edges, thickets and bamboo stands.
 Range: Luzon and Negros, Philippines.
 Clement, P., A. Harris and J. Davis. Finches and Sparrows.



WHITE-CHEEKED BULLFINCH, *Pyrrhula leucogenis* Fringillidae (194.155)
 Philippines, 2007, not yet cataloged, 24p

Length: 6 to 6.5 inches, sexes similar, but the female is slightly duller, resident. Rich brown above and buff brown below with black cap, wings and tail and white cheeks and rump.
 Habitat: moist oak forest.
 Range: Northern Luzon and Mindanao mountains.
 Clement, P., A. Harris and J. Davis. Finches and Sparrows.



TAWNY-SHOULDERED BLACKBIRD, *Agelaius humeralis* Icteridae (203.003)
 Lesotho, 2007, not yet cataloged, 2.10m

Length: 7.5 to 8.5 inches, sexes similar, resident. Black with a tawny epaulet that has a buff border.
 Habitat: open woodlands and rice paddies.
 Range: Cuba and northern Haiti.
 Reference: Jaramillo, A and P. Burke. New World Blackbirds.
