


NEW BIRDS IN THE PHILATELIC AVIARY

Charles E. Braun, BU1364

New Birds



†**UPLAND MOA**, *Megapteryx didinus* †Megalapterygidae
Togo, 2015 June 15, not yet cataloged, 1000fr

Length: 26 to 38 inches, sexes alike, resident. All mottled gray.
Habitat: Sub-alpine herb fields, tussock, and montane forest.
Range: Formerly South Island, New Zealand. Extinct about 1500 AD.
Reference: Gill, B, and P. Martenson, *New Zealand Extinct Birds*, 1991.



PLUMBEOUS IBIS, *Theristicus caerulescens* Threskiornithidae
Uruguay, 2015 June 5, not yet cataloged, 15p

Length: 28 to 30 inches, sexes alike, resident. Gray with a bushy crest and white forehead.
Habitat: Open country, marshes, and swamps.
Range: Eastern Bolivia to Uruguay and northern Argentina.
Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 1.



LONG-WINGED HARRIER, *Circus buffoni* Accipitridae
Surinam, 2015 March 18, not yet cataloged, \$2.75

Length: 19 to 22 inches, migratory. The male (shown) is blackish above and sparsely spotted white below with a white face and rump. The female is brownish above and more heavily spotted below.
Habitat: Lowland open fields, marshes, grassland, and savanna.
Range: Breeds from Colombia to the Guianas and from central Brazil to central Chile. Winters from Colombia to northern Argentina.
Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 2.



HORNED COOT, *Fulica cornuta* Rallidae
Bolivia, 2015 May 16, not yet cataloged, 5.50b

Length: 18 to 21 inches, sexes alike, resident. Slate gray with a black horn on a yellow bill.
Habitat: Barren mountain lakes.
Range: Southwestern Bolivia to northwestern Argentina.
Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 3



CENTRAL AMERICAN PYGMY-OWL, *Glaucidium griseiceps* Strigidae
St. Thomas and Prince, 2015 May 21, not yet cataloged, 19000d

Length: 5 to 7 inches, sexes alike, resident. Brown with false eyes above (right) and white with rufous-brown streaks below (left).

Habitat: Humid forest and semi-open areas.

Range: Southern Mexico to Panama.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 5.



WEDGE-TAILED SABREWING, *Campylopterus curvipennis* Trochilidae
Guinea-Bissau, 2014 November 5, not yet cataloged, 850fr

Length: 5 inches, sexes similar, resident. Metallic green above and gray below with a purplish crown and a white spot behind the eyes.

Habitat: Forest edges, open woodlands, and gardens.

Range: Southern Mexico to Belize and eastern Honduras.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 5.



GORGETED PUFFLEG, *Eriocnemis isabellae* Trochilidae

Guinea, 2013 September 15, not yet cataloged, 40000fr (UL)


Previously in the margin of a Guinea 2011 issue [Vol. 61(2), p.100]

Length: 3.5 to 3.8 inches, resident. The male (shown) is blackish with a large green-and blue throat patch and white thighs. The female is bronzy-green above and golden-green below with a small throat patch.

Habitat: Stunted elfin forest.

Range: Southwestern Colombia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Special Volume.



COLORFUL PUFFLEG, *Eriocnemis mirabilis* Trochilidae

Colombia, 2015 July 14, not yet cataloged \$500

Length: 3.5 to 3.8 inches, resident. The male (shown) is green with white thighs, indigo belly, red and coppery undertail-coverts, and a golden bronzy-green undertail. The female is green above and white below with green breast spots and reddish-bronze belly spots.

Habitat: Subtropical forest and forest borders.

Range: Southwestern Colombia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 5.



WINE-THROATED HUMMINGBIRD, *Atthis ellioti* Trochilidae
Niger, 2015 April 20, not yet cataloged, 3000fr (R margin)

Length: 3 inches, resident. The male (shown) is green above and white below with an iridescent rose-pink throat and cinnamon flanks. The female has a gray-spotted white throat.

Habitat: Forest edges, woodland, and clearings.

Range: Southern Mexico to Honduras.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 5.



ESMERALDAS WOODSTAR, *Chaetocercus berlepschi* Trochilidae
Ecuador, 2015 June 16, not yet cataloged, \$3

Length; 3 inches, resident. The male (shown) is coppery-green with an iridescent rosy violet gorget and a grayish-white breast. The female is bronzy-green above and white below.

Habitat: Forest edge and second growth.

Range: Western Ecuador.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 5.



FOX KESTREL, *Falco alopex* Falconidae
Sierra Leone, 2015 May 22, not yet cataloged, 10000le

Length: 14 to 16 inches, sexes alike, resident. Deep chestnut streaked with black.

Habitat: Rocky hills and cliffs.

Range: Senegal to Sudan and northwestern Kenya.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 2



CAMIGUIN HANGING-PARROT, *Loriculus camaguinensis* Psittaculidae
Micronesia, 2014 March 24, not yet cataloged, \$1

Length: 6 inches, sexes alike, resident. Green with a red crown and blue throat, face, and thighs.

Habitat: Lowland forest, forest edges, bushy areas, and bamboo.

Range: Camiguin Island, Philippines.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 4.



WHITE-NECKED PARAKEET. *Pyrrhura albipectus* Psittacidae
Ecuador, 2015 June 16, not yet cataloged, \$2

Length: 10 inches, sexes alike, resident. Green with yellow breast and vent, brownish crown, and orange ears.

Habitat: Forest, forest edge, and clearings.

Range: Southeastern Ecuador.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 4.



LILACINE PARROT, *Amazona autumnalis lilacina* Psittacidae
Ecuador, 2015 June 16, not yet cataloged, 50c (A ssp. of Red-lored Parrot)

Length: 13 to 14 inches, sexes alike, resident. Green with red lores and superciliary and yellow cheeks.

Habitat: Forest edges, gallery woodland, and semi-open areas.

Range: Western Ecuador.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 4.

BARRED HONEYEATER, *Phylidonyris undulatus* Meliphagidae

New Caledonia, 2015 August 6, not yet cataloged (Margin, sixth down on the left-hand side)



Length: 6 to 8 inches, sexes alike, resident. Brownish above and scalloped and barred white below with black eye stripes and white malar stripes.

Habitat: Forest, woodland, and savanna.

Range: New Caledonia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 13.



RADDE'S WARBLER. *Phylloscopus schwarzi* Phylloscopidae
Micronesia, 2015 April 16, not yet cataloged, \$3.50

Length: 5 inches, sexes alike, migratory. Brownish-olive above and grayish below with a buffish supercilium and dark brown eye stripes.

Habitat: Breeds in open taiga forest. Winters in bushes, scrub, and tall grass.

Range: Breeds in southern Siberia, northern Mongolia, and northeastern China. Winters from eastern Burma to Vietnam.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 11.



DUSKY BROWN FLYCATCHER, *Muscicapa adusta* Muscicapidae
Togo, 2011 September 28, Yv#517, 3000fr (LR margin)

Length: 5 inches, sexes alike, resident. Uniform dark brown above, paler below with a white throat.

Habitat: Forest clearings, parks, and gardens.

Range: Nigeria to Eritrea and South Africa.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 13.



CHESTNUT-BELLIED FLOWERPIERCER, *Diglossa gloriosissima*
Emberizidae

Colombia, 2015 July 14, not yet cataloged, \$1000

Length: 6 inches, sexes similar, resident. Black with a chestnut belly and silvery blue shoulders.

Habitat: Humid montane scrub and elfin forest.

Range: Central Colombia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 16.



PALE-HEADED BRUSH-FINCH. *Atlapetes pallidiceps* Emberizidae
Ecuador, 2015 June 16, not yet cataloged, \$1

Length: 6 inches, sexes alike, resident. Gray-brown above and whitish below with a streaky white head.

Habitat: Low, arid scrubby woodland.

Range: Southwestern Ecuador.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World*, Volume 16.