NEW BIRDS IN THE PHILATELIC AVIARY

Charles E. Braun, BU1364

New Birds



CONFUCIUSORNIS, Confuciusornis sp. Confuciusornithidae

St. Thomas & Prince, 2016 December 9, not yet cataloged, 31000d

Length: 20 inches, resident. An extinct species from 125 to 120 million years BCE. A red, brown, gray, and white bird with a long double tail and a toothless beak. Six species are known.

Habitat: Near water.

Range: Liaoning Province, China.

References: Wikipedia and Encyclopedia Britannica 2009.



AUSTRALIAN KITE. Elanus axillaris Accipitridae

St. Thomas and Prince, 2016 December 9, not yet cataloged, 31000d

Length: 13 to 15 inches, sexes similar, but the female is larger, resident. Gray above and white below with black shoulders, white head, and black eye-patch.

Habitat: Grasslands and sparsely wooded areas.

Range: Australia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 2.



HANDSOME FRANCOLIN, *Francolinus nobilis* Phasianidae (Cap: *Pternistis nobilis*) Sierra Leone, 2016 May 27, not yet cataloged, 6000Le

Length: 14 inches, sexes similar, but the female is smaller and duller, resident. Dark above and dark rufous below with a bare red patch around the eyes.

Habitat: Montane forest, alpine heath, and bamboo.

Range: Southwestern Uganda to eastern Zaire.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 2.



WILSON'S SNIPE, Gallinago delicata Scolopacidae

Caribbean Netherlands, 2016 September 15, not yet cataloged, 88c

Length: 10 inches, sexes alike, migratory. Brown above and barred white below with a striped head.

Habitat: Open fresh or brackish marshland and grassy areas near water.

Range: Breeds in Alaska, Canada, and the United States. Winters from the southern United States to the West Indies and Colombia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 3.



PACIFIC GULL Larus pacificus Laridae

Solomon Islands, 2016 May 13, not yet cataloged, \$7

Length: 23 to 26 inches, sexes alike, resident. Black above and white below with a white head and neck and a red-tipped yellow bill.

Habitat: Coasts.

Range: Western and southern Australia and Tasmania.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 3.



PACIFIC EMERALD DOVE, Chalcophaps longirostris Columbidae

Vanuatu, 1981 February 18, Sc#301, 20f

Length: 9 to 11 inches, resident. The male (shown) is green above and purplish below with a purplish head and neck, blackish rump, and a blue-gray crown and nape. The female is duller and has a brown rump.

Habitat: Forest, thickets, and plantations.

Range: Northern Australia, New Caledonia, and Vanuatu.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 4.



PURPLE-CAPPED FRUIT-DOVE, Ptilinopus ponapensis Columbidae

Marshall Islands, 1999 September 16, Sc#710, \$1.20

Length: 9 inches, sexes alike, resident. Dark green above and greenish gray below and head and neck with a purple forehead.

Habitat: Forest, scrub, and farms

Range: Chuuk and Pohnpei, Caroline Islands.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 4.



ASIAN EMERALD CUCKOO, Chrysococcyx maculatus Cuculidae

Sierra Leone, 2016 January 28, not yet cataloged, 6000Le (Cap. C. cupreus)

Length: 7 inches, migratory. The male is green with a green-barred white belly; the female (shown) is green with a light rufous crown and nape and barred pale throat. Habitat: Dense forest.

Range: Breeds from central China to the Andaman Islands and central Vietnam. Winters from southern China to Malaysia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 4.

This set also includes a stamp labeled *Cacomantis merulinus*, Plaintive Cuckoo, which would be a new species, but the illustration shows a different bird, unidentified, but definitely not a cuckoo.



COPPERY-HEADED EMERALD, Elvira cupreiceps Trochilidae

Guinea, 2015 March 20, not yet cataloged, MS/4 LL margin

Length: 3 inches, resident. The male (shown) is green with a coppery-bronze crown and tail and white outer tail. The female has a green crown.

Habitat: Highlands.

Range: Northern and central Costa Rica.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 4.



WHITE-THROATED MOUNTAIN-GEM, *Lampornis castaneoventris* Trochilidae Guinea, 2015 March 20, not yet cataloged, 15000fr

Length: 4 inches, resident. The male (shown) is green with a white throat and stripe behind the eye. The female is cinnamon below.

Habitat: Wet subtropical forest.

Range: Extreme western Panama.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 5.



PALAWAN HORNBILL, Anthracoceros marchei Bucerotidae

Guinea, 2016 July 18, not yet cataloged, 10000fr

Length: 22 inches, resident. The male (shown) is black with a white throat and tail and a yellow casque. The female is smaller and gray in place of black.

Habitat: Evergreen forest and mangroves.

Range; Palawan, Balabac, and Calamian Islands, Philippines.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 6.



BROWN-CAPPED PARADISE KINGFISHER, *Tanysiptera danae* Alcedinidae Guinea, 2016 July 18, not yet cataloged, 1000fr

Length: 11 to 12 inches, sexes similar, resident. Rufous-brown above and deep pink below with blue wings and tail and a bright pink rump.

Habitat: Dense primary forest.

Range: New Guinea.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 6.



PURPLE-HEADED BEE-EATER, Meropogon ni Meropidae

Togo, 2016 May 20, not yet cataloged, SS 3000fr R margin

(Cap: *Meropogon forsteni*)


Length: 10 inches, sexes similar, resident. Green above and purple below with a

purple head and a dull russet undertail.

Habitat: Humid forest. Range: Sulawesi, Indonesia

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 6.



ANDAMAN WOODPECKER, Dryocopus hodgei Picidae

India, 2016 October 17, not yet cataloged, 15r

Length; 15 inches, resident. The male (shown) is black with a red forehead, crest and

malar area. The female has only a red hindcrown and crest.

Habitat: Lowland tall evergreen forest.

Range: Andaman Islands, India.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 10.



BROWN LORY, Chalcopsitta duivenbodei Psittaculidae

St. Thomas & Prince, 2014 October 15, Sc#2762d, 25000d

(Cap: Pseudeos fuscata)

Length: 12 inches, sexes alike, resident. Warm brown with a black bill and a yellow face.

Habitat: Lowland tall secondary forest.

Range: Northern New Guinea.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 4.



PILEATED PARROT, Pionopsitta pileata Psittacidae

St. Martin, 2016 January 6, not yet cataloged, 500c

Length: 9 inches, resident. The male (shown) is green with a red crown, forehead, lores, and upper ear coverts. The female lacks the red and has a bluish wash behind the eye.

Habitat: Humid foothill forest.

Range: Southeastern Brazil and adjacent Argentina and Paraguay.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 4.



CATTLE TYRANT, Machetornis rixosa Tyrannidae

Guyana, 2016 February 20, not yet cataloged, \$250

Length: 8 inches, sexes similar, resident. Brown above band yellow below with a grayish crown and black eye-stripe.

Habitat: Drier open areas.

Range: Eastern Panama to northern Argentina,

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the

Birds of the World, Volume 9.



BLACK-AND RUFOUS FLYCATCHER, Ficedula nigrorufa Muscicapidae

India, 2016 October 17, not yet cataloged, 25r

Length: 5 inches, sexes similar, but the female is duller, resident. Orange-rufous with a black head and wings.

Habitat: Forest undergrowth and thickets.

Range: Southwestern Ghats in southwestern India.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 11.



NILGIRI FLYCATCHER, Eumyias albicaudatus Muscicapidae

India, 2016 October 17, not yet cataloged, 10r

Length: 6 inches, resident. The male (shown) is deep indigo blue, paler below and over the eye. The female is dull brown above and pale gray below.

Habitat: Evergreen forest and woodlands, clearings, and vegetation along streams.

Range: Southwestern Ghats in southwestern India.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 11.



JAPANESE ROBIN, Larvivora akahige Turdidae

Japan, 2016 September 23, not yet cataloged, 82¥

Length: 6 inches, migratory. The male (shown) is olive-tinged fulvous-brown above and whitish below with an orange-rufous face and throat, black breast band, and grayish sides. The female is duller and lacks the breast band.

Habitat: Damp, dense, shady undergrowth along forest streams.

Range: Breeds on Sakhalin and in Japan. Winters in southeastern China and Taiwan. Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 10.



WATER PIPIT, Anthus spinoletta Motacillidae

Romania, 2016 September 1, not yet cataloged, 1.70L

Length: 6 to 7 inches, sexes similar, migratory. Grayish brown above and pale pinkish-buff below with a whitish supercilium and belly.

Habitat: Breeds in alpine pastures and mountain meadows. Winters around lakes, coasts, rivers, and rice fields.

Range: Breeds in mountains from southern Europe to central China. Winters from Morocco to southern China.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 9.



CHESTNUT-THROATED FLYCATCHER, *Myiagra castaneigularis* Monarchidae Aitutaki, 1982 February 15, Sc#246A, \$1 (Cap: *Myiagra azureocapilla*)

Length: 6 inches, resident. The male (shown) is dark slaty-blue above and white below with a chestnut throat, azure crest and black eye-stripe. The female is rich brownish-gray above with a blackish patch around the eye, two wing-bars, and a whitish malar stripe.

Habitat: Dense native mature forest.

Range; Vita Levu and Vanua Levu, Fiji.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 11.




PUFF-THROATED BABBLER, *Pellorneum ruficeps* Pellorneidae Guinea, 1999, Sc#1587, SS 2500fr UR margin

Length: 6 to 7 inches, sexes similar, resident. Pale brown above and streaked buffy white below with a dull rufescent crown and whitish superciliary.

Habitat: Forest floor, understory, and thickets.

Range; India to Vietnam and Malaysia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 12.



${\bf SALTMARSH\ SHARP-TAILED\ SPARROW,} Ammodramus\ caudacutus$

Emberizidae

Central African Republic, 2016 June 20, not yet cataloged, SS 2650fr UL margin

Length: 5 inches, sexes similar, migratory. Grayish above and black-streaked white below with a gray face with a yellow-orange border and a black stripe behind the eye. Habitat: Saltmarshes and wet meadows.

Range: Breeds from southern Maine to coastal Virginia. Winters from Massachusetts to Florida.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 16.



JAMESON'S FIREFINCH, Lagonosticta rhodopareia Estrildidae

Chad, 2014, not yet cataloged, 300fr UL margin

Length: 4 inches, sexes similar, but female is paler, resident. Brown above and red below with a black belly and tail.

Habitat: Lowland bushy and grassy areas,

Range: Ethiopia to South Africa and Namibia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 15.