NEW BIRDS IN THE PHILATELIC AVIARY

Charles E. Braun, BU1364

Corrections

Hornbill genera have changed as follows:

KNOBBED HORNBILL, Rhyticeros cassadix PLAIN-POUCHED HORNBILL, Rhyticeros subruficollis BLYTH'S HORNBILL, Rhyticeros plicatus WRINKLED HORNBILL, Rhabdotorrhinus corrugatus WRITHE-BILLED HORNBILL Rhabdotorrhinus waldeni

In Vol. 67(1), the correct family for the Sri Lanka Bush-Warbler is Locustellidae.

New Birds

Note: Both the Yellow-footed Pigeon and Scale-throated Hermit have been on issues from West Timor in 2000, and issues from Benin in 2002. Neither of these issues were used for postage.



RED-BILLED BRUSH-TURKEY, Talegalla cuvieri Megapodiidae

Papua New Guinea, 2018 May 31, not yet cataloged, 1.60k

Length: 18 to 22 inches, sexes alike, resident. Black with an orangish-red bill, pale orange legs, and pale bare face.

Habitat: Forested lowlands and hills.

Range: Northwestern New Guinea and nearby islands.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 2.

DUSKY SCRUBFOWL, Megapodius freycinet Megapodiidae

Papua New Guinea, 2018 May 31, not yet cataloged, 10k

Length: 14 inches, sexes alike, resident. Dark gray with a short crest and a reddish

face.

Habitat: Mangroves, swampy woodlands, and wet evergreen forest. Range: Northern Moluccas and islands off western New Guinea.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 2.





MEYER'S GOSHAWK, Accipiter meyerianus Accipitridae

Papua New Guinea, 2018 May 31, not yet cataloged, 2.50k

Length: 19 to 22 inches, sexes similar, resident. Black above and black or barred white below with four gray tail bars.

Habitat: Hill and montane rain forest and adjacent areas.

Range: Moluccas to the western Solomon Islands.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World, Volume 2.*



GURNEY'S EAGLE, Aquila gurneyi Accipitridae

Papua New Guinea, 2018 May 31, not yet cataloged, 3.45 k

Length: 27 to 32 inches, sexes alike, resident. Black with yellow feet.

Habitat: Primary rain forest, swamp forest, and adjacent areas.

Range: Moluccas to New Guinea,

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 2.

Note: This issue includes a SS/2 labeled Chestnut-shouldered (misspelled) Goshawk,

but the illustrated birds are Red Goshawks (already on an Australian stamp).

WHITE-HEADED PIGEON, Columba leucomela Columbidae

Maldive Islands, 2018 May 17, not yet cataloged, 20r

Length: 15-17 inches, resident. The male (shown) is slate-black above and white below


with a white head. The female is mottled light gray below.

Habitat: Forest, forest edges, and cleared agricultural country.

Range: Coastal eastern Australia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 4.





YELLOW-FOOTED PIGEON, Treron phoenicoptera Columbidae

Maldive Islands, 2017 March 16 not yet cataloged, 20r

Length: 13 inches, sexes similar, resident. Yellowish green above and bluish gray head and below with a mustard-yellow neck and breast.

Habitat: Forest, scrub, parks, and gardens.

Range: Eastern Pakistan and extreme south-central China to Sri Lanka and southern

Vietnam.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 4.

SCALE-THROATED HERMIT, Phaethornis eurynome Trochilidae

Mozambique, 2016 July 10, not yet cataloged, 350m SS (R margin).

Previously on an Eynhallow local

Length: 6 inches, sexes similar, resident. Olive above and grayish below with a

scaly throat and a white tail.

Habitat: Rainforest understory.

Range Eastern Paraguay to southeastern Brazil.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of

the World, Volume 5.





WHITE-BELLIED EMERALD, Amazilia candida Trochilidae

Nevis, 2018 June 5, not yet cataloged, \$10 SS

Length: 4 inches, sexes similar, resident. Bronze-green above and white below with black wings.

Habitat: Forest, clearings, and plantations.

Range: Southern Mexico to Nicaragua.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 5.



PILEATED WOODPECKER, Dryocopus pileatus Picidae

St. Thomas & Prince Islands, 2018 May 19, not yet cataloged, 124d SS

Length: 16 to 19 inches, resident. The male (shown) is black with a white face, neck, and throat and red crest and malar. The female has a black malar.

Habitat: Forest, suburbs, and parks'

Range: British Columbia to Nova Scotia and central California, also eastern half of the U.S.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 7.



GRAY FALCON, Falco hypoleucos Falconidae

Djibouti, 2018 March 15, not yet cataloged, 950fr SS

Length: 13 to 17 inches, sexes alike, migratory. Gray above and finely barred whitish below with black in the wings and around the eyes.

Habitat: Woodland, scrub, savanna, and plains.

Range: Breeds in central and northwestern Australia. Winters in coastal northern, eastern, and southern Australia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World, Volume 2*.



LITTLE CORELLA, Cacatua sanguinea Cacatuidae

Surinam, 2018 July 18, not yet cataloged, \$22

Length: 14 to 16 inches, sexes similar, resident. White with a salmon-pink face, blue-gray eye-patch, and yellow in the underwings and tail.

Habitat: Grassy woodland, scrub, and grassland.

Range: Coastal southern New Guinea and Australia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World, Volume 4*.



BLUE-EYED COCKATOO. Cacatua ophthalmica Cacatuidae

Surinam, 2018 July 18, not yet cataloged, \$20

Length: 20 inches, resident. The male (shown) is white with a yellow crest and bare blue skin around the eyes. The female is similar but reddish.

Habitat: Lowland tropical rain forest.

Range: New Britain and New Ireland.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World,

Volume 4.



CHATHAM ISLANDS PARAKEET, Cyanoramphus forbesi

Psittaculidae

New Zealand, 2018 August 1, not yet cataloged, \$3

Length: 10 inches, sexes alike, resident. Green, yellowish below with a red frontal band and yellow crown.

Habitat: Dense forest and scrub.

Range: Chatham Islands, New Zealand.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 4.



BRONZE-WINGED PARROT, Pionus chalcopterus Psittacidae

Sierra Leone, 2018 February 27, not yet cataloged, 40000le SS (R margin)

Length: 11 to 12 inches, sexes similar, resident. Blue with bronze wings, yellow bill, and red undertail.

Habitat: Foothills and highland forest and adjacent areas.

Range: Western Venezuela to northwestern Peru.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World,

Volume 4.

WESTERN KINGBIRD, Tyrannus verticalis Tyrannidae

St Thomas & Prince Islands, 2018 May 19, not yet cataloged, 31d

Length: 8 to 10 inches, sexes alike, migratory. Ashy gray-olive above and bright yellow below with a gray head and breast and a semi-concealed orange coronal patch.

Habitat: Open areas

Range: Breeds from south-central and southwestern Canada to Texas and

northern Mexico. Winters from southern Mexico to Costa Rica.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 9.



of the World, Volume 10.

SIBERIAN BLUE ROBIN, Larvivora cyane Muscicapidae


Japan, 2018 August 23, not yet cataloged, 82¥

The bird on the Taiwan stamp [Vol. 61(4)] was misidentified.

Length: 5 inches, migratory. The male (shown) is slaty-blue above and white below. The female is brown above and white below with pale brown flanks. Habitat: Breeds in deep taiga. Winters in forests.

Range: Breeds from southern Siberia to Japan. Winters from southeastern China to the Greater Sundas.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds



Burundi, 2016 March 2, not yet cataloged, 3150fr

Length: 5 inches, sexes alike, migratory. Olive-brown above and olive-buff below with a creamy supercilium.

Habitat: Bushy areas and farms.

Range: Breeds from England to northern Kazakhstan. Winters in southeastern Africa. Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World, Volume 11*.





BRISTLEHEAD, *Pityriasis gymnocephala* Pityriaseidae (new family) Malaysia, 2018 June 5, not yet cataloged, 80s

Length: 9 to 10 inches, sexes alike, resident. Black with an orange and yellow head, black ear patches, a hooked bill, and bright red thighs.

Habitat: Forest. Range: Borneo.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 14.



STELLER'S JAY, Cyanocitta stelleri Corvidae

Canada, 2018 August 20, not yet cataloged, 85c

Length: 12 to 14 inches, sexes similar, resident. Blue, with a bluish-black crested head.

Habitat: Forest and woodlands.

Range: Southern Alaska to northern Nicaragua.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World,

Volume 14.




FLORIDA SCRUB-JAY, *Aphelocoma coerulescens* Corvidae St. Thomas & Prince Islands, 2018 May 19, 124d SS (UR margin)

Length: 10 inches, sexes similar, resident. Pale gray-brown above and gray below with a blue face, wings, and tail and a finely streaked white throat. Habitat. Oak scrub.

Range: Peninsular Florida'

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds





VOGELKOP SUPERB BIRD-OF-PARADISE, *Lophorina niedda* Paradisaeidae Indonesia, 1984 October 15, Sc#1245, 325r

Length: 10 inches, resident. The male (shown) is velvety jet black above and metallic greenish-blue below with a black head and throat. The female is blackish brown above and finely barred ochraceus below with a finely spotted white stripe behind the eyes. Habitat: Upper montane forest.

Range: Vogelkop peninsula, northwestern New Guinea.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the*

World, Volume 14.



WHITEHEAD, Mohoua albicilla Mohouidae

New Zealand, 2018 August 1, not yet cataloged, \$3

Length: 6 inches, sexes similar, resident. Brown above and off-white head and below with light gray-brown flanks.

Habitat: Forest, dense scrub, and pine plantations.

Range: North Island, New Zealand.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the*

Birds of the World, Volume 12.



TOMTIT, Petroica macrocephala Petroicidae

New Zealand, 2018 August 1, not yet cataloged, \$3

Length: 5 inches, resident. The male (shown) is black above and pale yellow below with a blackhead and neck, a white forehead spot, and a white wing patch. The female is dark olive-brown above and pale yellow below with a white throat.

Habitat: Forest, scrub, pine plantations, grasslands, and farms.

Range: New Zealand.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 12.



Birds of the World, Volume 13.

PERSIAN NUTHATCH, Sitta tephronota Sittidae

Kazakhstan, 2018 May 22, not yet cataloged, 75s

Length: 6 inches, sexes alike, resident. Medium gray above and creamy white below with a pinkish-buff belly and long black eye-stripe.

Habitat: Rocky mountains, slopes, and valleys, usually near streams.

Range: Eastern Turkey to Uzbekistan and western Pakistan.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the



MOUNTAIN WAGTAIL, Motacilla clara Motacillidae

Malawi, 2018 June 4, not yet cataloged, 700k

Length: 6 to 8 inches, sexes alike, resident. Gray above and white below with a black necklace and white superciliary and outer tail.

Habitat: Near rushing water.

Range: Sierra Leone and Ethiopia to eastern South Africa.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds* of the World, Volume 9.



BEAUTIFUL FIRETAIL, Stagonopleura bella Estrildidae

Australia, 2018 June 5, not yet cataloged, \$1

Length: 4 inches, sexes similar, resident. Brownish-buff above and finely black-barred whitish below with black around the eyes and a red tail.

Habitat: Scrub and woodland.

Range: Southeastern Australia and Tasmania.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the

Birds of the World, Volume 15.



BLACK-THROATED FINCH, Poephila cincta Estrildidae

Australia, 2018, not yet cataloged, \$1

Length: 4 inches, sexes similar, resident. Buffy brown above and cinnamonbrown below with a gray crown, white face, and black throat and band across the belly.

Habitat: Open woodland and shrub understory.

Range: Northeastern Australia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the

Birds of the World, Volume 15.



PINE WARBLER, Setophaga pinus Parulidae

Sierra Leone, 2018 April 27, not yet cataloged, 9800le

Length: 6 inches, sexes similar but the female is duller, migratory. Olive-green above and dark-streaked yellowish below with two white wing-bars.

Habitat: Pine forest.

Range: Breeds from southeastern Canada to eastern Texas, Florida, the Bahamas, and Hispaniola. Winters in the southern part of its range.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 15.