NEW BIRDS IN THE PHILATELIC AVIARY

Charles E. Braun, BU1364

New Birds



†EOALULAVIS, Eoalulavis hoyasi †Enantiornithidae

Mozambique, 2019 February 10, not yet cataloged, 300m SS. Extinct 120 million years ago.

Length: Five inches, sexes alike, resident. Spear-shaped body.

Habitat: Coasts. Range: Spain.

Reference: Sanz, J. L., L. M. Chappe, B.P. Perez-Moreno, A. D. Buscalioni,

J. J. Moratalla, F. Ortega, and F.J. Povato-Ariza. *Nature* 282 (1996).

†GASTORNIS, Gastornis parisiensis †Gastornithidae

Mozambique, 2019 April 10, not yet cataloged, 300m SS. Extinct 50 million years ago.

Length: 100 inches, sexes alike, resident. A large flightless bird.

Habitat: Woodlands.

Range: Britain to Germany.

Reference; Mlikovsky, J. Cenozoic Birds of the World, Part 1: Europe (2002).





TAHITI PETREL Pseudobulweria rostrata

Procellariidae

French Polynesia, 2019 January 25, Sc#1221, 10fr

Length: 15 to 16 inches, sexes alike, marine. Black above and white below with a black head and neck and pale central wings.

Habitat: Breeds on volcanic islands, otherwise avoids land.

Range: Bismarcks to Marquesas.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds

of the World, Volume 1.

BARE-SHANKED SCREECH-OWL, Megascops clarkii Strigidae

St. Thomas & Prince Is., 2017 March 13, Sc#3247a, 31000d

Length: Six to eight inches, sexes alike, resident. Rufous-brown above and spotted buffy-brown below with a cinnamon face.

Habitat: Highland forest and forest edge.

Range: Costa Rica to northwestern Colombia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of

the World, Volume 5.



WHITE-RUMPED SWIFT, *Apus caffer* Apodidae Guinea, 2019 April 22, not yet cataloged, 12500fr

Length: Six inches, sexes alike, migratory. Black with a white rump and throat patch. Habitat: Savannah, scrub, and forest.

Range: Breeds in southern Spain, southern Portugal, central Morocco, and Africa south of the Sahara. Winters from Senegal to northern South Africa.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. *Handbook of the Birds of the World, Volume 5*.





GIANT HUMMINGBIRD, Patagona gigas Trochilidae

Ecuador, 2019, not yet cataloged, 75c

Length: Eight to nine inches, resident. The male (shown) is dull olive brown above and dull cinnamon below with a white rump and undertail. The female is spotted dusky below.

Habitat: Open areas in highlands.

Range: Southwestern Colombia to central Argentina.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 5.

TANZANIAN RED-BILLED HORNBILL, Tockus ruahae Bucerotidae

Niger, 2019 April 24, not yet cataloged, 800fr

Length: 14 inches, sexes alike, resident. Black above and white below with a red bill,

grayish throat, and yellow or orange eyes. Habitat: Open savanna and woodland,

Range: Central Tanzania

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 6.





†JAMAICAN RED MACAW, Ara gossei Psittacidae

Djibouti, 2019 June 12, not yet cataloged, 250fr. Extinct around 1765.

Length: 35 inches, sexes alike, resident. Red with a yellow crown, nape and tail tip and

blue wings. Habitat: Forest. Range: Jamaica.

Reference: Day, D. Vanished Species.



RUFOUS CACHALOTE, Pseudoseisura unirufa Furnariidae

Paraguay, 2018 September 21, Sc#3091b, 2500g

Length: Eight inches, sexes alike, resident. Reddish-rufous, paler below with a

gray bill.

Habitat: Gallery forest.

Range: Eastern Bolivia, southwestern Brazil, and northern Paraguay,

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 8.





SOUTHERN BEARDLESS-TYRANNULET, Camptostoma obsoletum Tyrannidae Ecuador, 2019, not yet cataloged. 75c

Length: Four inches, sexes alike, resident. Olive-gray above and pale yellow below with two white wing-bars and gray legs.

Habitat: Scrub and forest edges.

Range: Cuba, and Costa Rica to northern Argentina.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 9.



WHITE-EYED SLATY-FLYCATCHER, Melaeornis fischeri ssp. fischeri Muscicapidae

Malawi, 2018 June 4, not yet cataloged, 700k

Length: Six inches, resident. The male (shown) is dark bluish-gray above and pale bluish-gray below with a broad whitish-gray eyering. The female lacks the eyering.

Habitat: Forest and woodlands.

Range: The nominate race (shown) ranges from southeastern Sudan to

northern Tanzania.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 11.

WHITE-BROWED LAUGHINGTHRUSH, *Pterorhinus sannio* Leiothrichidae Antigua and Barbuda, 2004 February 16, Sc#2722a, \$2.50


Length: Nine inches, sexes alike, resident. Dull mid-brown above and cinnamon-buff below with a dark brown crown, white face, black eyestripe, and warm brown chin to breast.

Habitat: Grassy and scrubby areas and bamboo.

Range: Northeastern India to China and Vietnam.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 12.





GREAT THRUSH, Turdus fuscater Turdidae

Ecuador, 2019, not yet cataloged, 25c

Length: 11 to 13 inches, sexes alike, resident. Dark gray-brown, paler below with a yellow-orange bill.

Habitat: Open areas.

Range: Western Venezuela to western Bolivia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 10.



VAN HASSELT'S SUNBIRD, *Leptocoma brasiliana* Nectariniidae Maldive Islands, 2019 June 1, not yet cataloged, 22r

Length: Four inches, resident. The male (shown) is black above and maroon-crimson below with a green crown and sooty-brown belly. The female is dull olive-green above and greenish-yellow below. Habitat: Forest.

Range: Northeastern India to Borneo and western Java.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 13.



PALESTINE SUNBIRD, *Cinnyris osea* Nectariniidae Maldive Islands, 2019 June 1, not yet cataloged, 22r

Length: Three to four inches, resident. The male (shown) is metallic bluegreen above and violet below with a black chin. The female is greenish above and off-white below,

Habitat: Savanna, orchards, and gardens,

Range: Lebanon to Oman; Sudan to eastern Cameroon and northwestern Uganda;

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 13.

STREAKED SPIDERHUNTER, Arachnothera magna Nectariniidae

Niger. 2019 June 26, not yet cataloged, 800fr

Length: Seven to 14 inches, sexes alike but the female is much smaller, resident. Black-streaked golden yellowish-olive above and black-streaked yellowish-white below with a long curved bill.

Habitat: Forest and surrounding areas.

Range: Nepal to Vietnam and the Malay Peninsula.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 13.

RUSTY FLOWERPIERCER, Diglossa sittoides Thraupidae

Ecuador, 2019, not yet cataloged, \$1

Length: Four inches, resident. The male (shown) is plumbeous gray above and pale cinnamon below. The female is medium olive-gray above and faintly streaked grayish-olive below.

Habitat: Shrubby areas and forest canopy.

Range: Western Venezuela to northwestern Argentina.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 16.







BLACK-AND-WHITE SEEDEATER, *Sporophila luctuosa* Thraupidae Ecuador, 2019, not yet cataloged, 25c

Length: Four inches, resident. The male (shown) is black with a white belly and wing patch. The female is warm buffy brown above and warm buff below.

Habitat: Grassland and shrubs.

Range: Western Venezuela to Bolivia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 16.



Guyana, 2018 November 20, Sc#4588a, \$500 SS

Length: Five inches, sexes similar, resident. Green, paler below with spots on the

head, neck, and breast. Habitat: Humid forest.

Range: Southern Venezuela to northern Brazil and Peru to Bolivia.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 16.





CHESTNUT-AND-BLACK WEAVER, *Ploceus castaneofuscus* Ploceidae Sierra Leone, 2018, not yet cataloged, 500le (Cap: *Ploceus nigerrimus*)

Length: Seven inches, resident. The male (shown) is black with a chestnut back and belly. The female is streaked dull greenish above and buff below.

Habitat: Open areas.

Range: Gambia to southern Nigeria.

Reference: del Hoyo, J., A. Elliott, and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 16.