NEW BIRDS IN THE PHILATELIC AVIARY

Charles E. Braun -BU 1364

British Locals

A number of British local stamps showing species not otherwise shown on stamps have been written up in this column. These issues were originally used to pay for transport of mail from islands off Scotland to government post offices on the mainland. Later, many stamps were issued for which no real need existed. These were primarily for tourists and collectors. Most were topical stamps; many showed birds. The bird names on the stamps aren't much help (as shown for birds already written up), and some of the artwork isn't very good. In this issue I have written up all that I can identify. All of these were issued more than twenty-five years ago.



BONIN PETREL, *Pterodroma hypoleuca* Procellariidae (011.034) Kiribati, 2008, not yet cataloged, \$5

Length: 12 inches, sexes alike, disperses. Gray above and white below with a white forehead and cheeks and a thick black band on the leading edge of the underwing and a dusky gray band on the trailing edge.

Habitat: marine and highly pelagic.

Range: Breeds on the Volcano, Bonin and leeward Hawaiian Islands; disperses to the subtropical western Pacific Ocean.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 1.



PINK-FOOTED SHEARWATER, *Puffinus creatopus* Procellariidae (011.058)

Kiribati, 2008, not yet cataloged, \$1

Length: 19 inches, sexes alike, disperses. Dark above and whitish below with mottled underwings, pink legs and a pink bill with a black tip.

Habitat: marine and pelagic.

Range: Breeds on islands off Chile; disperses throughout the eastern Pacific

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds

of the World, Volume 1.



CHINESE POND-HERON, Ardeola bacchus Ardeidae (020.029

Cocos Islands, 2008, not yet cataloged, 50 cents

Length: 18 inches, sexes similar, but female has a paler foreneck, migratory. Chestnut-red head to breast, dark slaty back and white wings with yellow bill and legs.

Habitat: marshes, riverbanks, ricefields and ponds.

Range: Breeds from Manchuria to the Andaman Islands; winters from eastern China to Borneo.

Reference: Hancock, J. and J. Kushlan. The Herons Handbook.



ALTAI SNOWCOCK, *Tetraogallus altaicus* Phasianidae (038.006)

Staffa, 1982, 45 pence

Length: 23 inches, sexes similar, resident. Grayish above with a plain white belly and black spots on a grayish upper breast.

Habitat: steppes, alpine meadows and mountain tundra.

Range: Mongolia and bordering southern Siberia.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 2.



RED-BILLED FRANCOLIN, *Francolinus adspersus* Phasianidae (038.044)

Liberia, 2007, not yet cataloged, \$45

Length: 14 to 15 inches, sexes aike, resident. Brown above and finely barred neck and below with red bill and legs.

Habitat: arid savanna and open broadleafed woodland.

Range: Southern Angola and Namibia to western Zimbabwe

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 2.



RED-WINGED WOOD-RAIL, *Aramides calopterus* Rallidae (046.074)

Grunay, 1982, 1 pound

Length: 13 inches, sexes alike, resident. Olive above and gray below with reddish chestnut neck and wings.

Habitat: wet forest.

Range: Eastern Ecuador, northeastern Peru and adjacent Brazil.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 3.



ROCK SANDPIPER, Calidris ptilocnemis Scolopacidae (062.081)

Eynhallow, 1982, 20 pence

Length: 8 to 9 inches, sexes alike, migratory. Patchy pale head, streaky below (black breast patch in breeding plumage) with a dark tail.

Habitat: tundra; winters on rocky shores and stony beaches.

Range: Kuriles to western Alaska; winters in eastern Japan and west coast of North America.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 3.



WOMPOO FRUIT-DOVE, Ptilinopus magnificus

Columbidae (072.225)

Grunay, 1982, 10 pence

Length; 12 to 18 inches, sexes alike, resident. Greenish above and deep purple below with a pale gray head.

Habitat: forest.

Range: New Guinea and eastern Australia.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 4.



JAVAN FROGMOUTH, Batrachostomus javensis Podargidae

(081.011)

Staffa, 1982, 60 pence

Length: 8 to 10 inches, resident. The male is brown above, speckled white with distinct black spots and a white supercilium; the female (shown on the stamp) is brighter and plainer with less white.

Habitat: lowland evergreen forest.

Range: Southern Myanmar to Vietnam, Palawan and Java.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 5.



SALVADORI'S NIGHTJAR, *Caprimulgus pulchellus* Caprimulgidae (083.077) Staffa, 1982, 1 pound

Length: 8 inches, resident. The male (above) is dark brown above spotted and barred tawny with white patches on the throat and wings; the female (below) has tawny wing spots and white tail tips but no white wing patch. Habitat: montane and submontane forest. Range: Sumatra and Java. Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 5.



PURPLE-CROWNED FAIRY, *Heliothryx barroti* Trochilidae (086.296) Staffa, 1982, 1 pound

Length: 5 inches, resident. The male (shown on the stamp) is green above and white below (but no black spots as shown) with a purple crown, dark wings and white outer tail; the female has a green crown. Habitat: wet lowland forest.

Range: Southeastern Mexico to southwestern Ecuador.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 5.



RUFOUS SABREWING, *Campylopterus rufus* Trochilidae (086.042) Bernera, 1982, 40 pence

Length: 5 inches, sexes alike, resident. Bronzy green above and cinnamon below with a rounded tail.

Habitat: forest, forest edges and plantations.

Range: Pacific coast of southern Mexico to El Salvador.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 5.



BEARDED HELMETCREST, *Oxypogon guerinii* Trochilidae (086.273) The bird on the right.

Staffa, 1982, 1 pound

Length: 5 inches, resident. The male (on the right) is bronzy green above with a white crest and beard; the female lacks the crest and beard.

Habitat: open paramo and hillsides.

Range: Colombia and northwestern Venezuela.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds

of the World, Volume 5.

VON DER DECKEN'S HORNBILL, *Tockus deckeni* Bucerotidae (098.009)

Grunay, 1982, 1 pound

Length: 14 inches, resident. The male is black above and white below with a yellow-tipped red bill; the female (shown on the stamp) has an all black bill.

Habitat: open savanna and woodland.

Range: Southeastern Sudan to Tanzania.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of

the Birds of the World, Volume 6.





SWALLOW-WING, *Chelidoptera tenebrosa* Bucconidae (100.035)

Staffa, 1982, 25 pence

Length: 6 inches, sexes alike, resident. Sooty-black with a white rump and undertail and an orange-chestnut lower belly.

Habitat: open areas with scattered bushes.

Range: Eastern Colombia to northern Bolivia and eastern Brazil.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook

of the Birds of the World, Volume 6.



SCARLET-HOODED BARBET, Eubucco tukinkae

Capitonidae (101.080) Grunay, 1982, 2 pounds

Length: 7 inches, resident. The male is green above and yellowish below with a red head and breast; the female (shown on the stamp) has a yellow throat and breast below which is a red band.

Habitat: thick understory near water.

Range: Eastern Peru, northern Bolivia and adjacent Brazil.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 7.



RUDDY TREERUNNER, Margarornis rubignosis Furnariidae (109.176)

Bernera, 1982, 60 pence

Length: 6 inches, sexes alike, resident. Reddish-brown above, paler below with a

spotted chest and whitish throat. Habitat: montane evergreen forest.

Range: Costa Rica and Panama.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the

Birds of the World, Volume 8.



RUFOUS-RUMPED ANTWREN, Terenura callinota

Thamnophilidae (110,135) Eynhallow, 1982, 2 pounds

Length: 4 inches, resident. The male (shown on the stamp) is olive above and pale gray and yellow below with a black crown and nape and a cinnamon-rufous rump; the female has a brown crown and nape.

Habitat: canopy and subcanopy of montane evergreen forest.

Range: Costa Rica to western Venezuela and central Peru; southern Guyana to central Surinam.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 8.



PARAMO PIPIT, *Anthus bogotensis* Motacillidae (122.031)

Bernera, 1982, 2 pounds

Length: 6 inches, sexes alike, resident. Cinnamon-brown above with bold blackish and buff streaks and buff below with sparse dark streaks.

Habitat: upper montane paramo and puna grassland.

Range: Northwetern Venezuela to northwestern Argentina.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds.

Handbook of the Birds of the World, Volume 8.



MARSH WREN, *Cistothorus palustris* Troglodytidae (133.067)

Eynhallow, 1982, 2 pounds

Length: 5 inshes, sexes similar, migratory. White-streaked blackish upper back and buffy below with a barred tail.

Habitat: marshes.

Range: Breeds from Canada to central Mexico; winters in the U.S. and Mexico.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds.

Handbook of the Birds of the World, Volume 10.



GRAY-CAPPED WARBLER, *Eminia lepida* Cisticolidae (137.104) Evnhallow, 1982, 1 pound

Length: 6 inches, sexes alike (the upper bird is a juvenle), resident. Olive-green above and gray below with a gray cap, black band around the head and a chestnut chest patch.

Habitat: dense moist undergrowth.

Range: Southern Sudan to northern Tanzania.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of

the Birds of the World, Volume 11.



TAWNY-FACED GNATWREN, Microbates cineiventris Polioptilidae (139.002)

Bernera, 1982, 40 pence

Length: 4 inches, sexes alike, resident. Brown above and gray below with a rusty face.

Habitat: lower growth of wet humid forest and secondary woodland.

Range: Costa Rica to western Bolivia.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the

World, Volume 11.



SUKATSCHEV'S LAUGHINGTHRUSH, Garrulax

sukatschewi Timaliidae (147.023) China, 2008, not yet cataloged,

Length: 11 to 12 inches, Sexes similar, resident. Dull olive-gray above and dull pinkish-brown below

with black-outlined white cheeks and a fluffy pale buffy rump.

Habitat: bushy understory, scrub and bamboo thickets.

Range: Southwestern China.

Reference: del Hoyo, J., A. Elliott and J. Sargatal, Eds. Handbook of the Birds of the World, Volume 12.



PURPLE-RUMPED SUNBIRD, *Leptocoma zeylonica* Nectariniidae (164.042)

Eynhallow, 1982, 1 pound

Length: 4 inches, resident. The male (shown on the stamp) is deep chestnut and metallic green or purple above and pale yellow below with a metallic purple throat; the female is olive-brown above and yellow below with a whitish throat.

Habitat: forest, farms and gardens.

Range: Western Myanmar to Sri Lanka.

Reference: Cheke, R. A., C.F. Mann and R. Allen. Sunbirds.



SOUTHERN BOUBOU, *Laniarius ferrugineus* Malaconotidae (175.021)

Eynhallow, 1982, 2 pounds

Length: 8 to 9 inches, sexes alike but the female is paler above, resident. Black above and rufous below with a white wing stripe.

Habitat: forest edge, thickets and dense coastal scrub.

Range: Sierra Leone to Sudan and northeastern Angola.

Reference: Sinclair, I. and P. Ryan. Birds of Africa South of the Sahara.

WHITE HELMETSHRIKE, *Prionops plumatus* Prionopidae (176.001) Staffa, 1982, 1 pound

Length: 7 to 9.5 inches, sexes alike, resident. Black above and white below with a gray head amd white collar and wing stripe.

Habitat: mixed woodland and acacia savanna.

Range: Senegal to Ethiopia and northern South Africa.

Reference: Sinclair, I. and P. Ryan. Birds of Africa South of the Sahara.



10p Staffa Scotland

MOUNTAIN PELTOPS, *Peltops montanus* Cracticidae (184.001) Staffa, 1982, 10 pence

Length: 8 inches, sexes alike, resident. Black with a white cheek and red rump and vent

Habitat: roadsides and forest clearings. Range: New Guinea. Reference: Beehler, B. M., T. K. Pratt and D. A. Zimmerman. Birds of New

Guinea.



WHITE-BROWED SPARROW-WEAVER, *Plocepasser mahali* Ploceidae (190.006) Namibia, 2008, not yet cataloged, postcard rate

Length: 7 inches, sexes alike, resident. Brown above and white below with a broad white brow.

Habitat: acacia savanna and dry woodland.

Range: Southern Sudan to South Africa.

Reference: Sinclair, I. and P. Ryan. Birds of Africa South of the Sahara.



GROSBEAK WEAVER, Amblyospiza albifrons Ploceidae (190.116)

Namibia, 2008, not yet cataloged, inland registered mail

Length: 6 to 7 inches, resident. The male (shown on the stamp) is dark brown with a white forehead and small wing patch; the female is whitish below, heavily streaked brown.

Habitat: forest edge and rank vegetation, usually near water.

Range: Liberia to Ethiopia and northeastern South Africa.

Reference: Sinclair, I. and P. Ryan. Birds of Africa South of the Sahara.



BLACK-RUMPED WAXBILL, *Estrilda troglodytes* Estrildidae (191.026)

Guinea, 2008, not yet cataloged, 4500 francs

Length: 4 inches, sexes alike, but the female is duller, resident. Light brown above and pale with a pinkish wash below with a graay crown and nape and a redbill and eyestripe.

Habitat: semi-arid savanna.

Range: Senegal to Sudan and western Kenya.

Reference: Sinclair, I. and P. Ryan. Birds of Africa South of the Sahara.



GRAY-CHESTED GREENLET (Probable), Hylophilus semicinereus

Vireonidae (193.035)

Eynhallow, 1982, 2 pounds

Length: 5 inches, sexes alike, resident. Brown above and gray below with a gray crown and nape.

Habitat: woodland canopy and borders.

Range: Southern Venezuela and Amazonian Brazil.

Reference: Ridgely. R. S. and G. Tudor. The Birds of South America,

Volume I.



HOARY REDPOLL (Probable), *Carduelis hornemanni* Fringillidae (194.080) Eynhallow, 1981, 25 pence

Length: 4.5 to 5.5 inches, sexes similar, migratory. Streaky back and white below with a white bar on black wings.

Habitat: tundra.

Range: Breeds in the tundra of northern Eurasia and North America; winters to the

U. S. and Britain.

Reference: Clement, P., A. Harris and J. Davis. Finches and Sparrows.



BLACK-THROATED GREEN WARBLER,

Dendroica virens Parulidae (197.022) St. Pierre and Miquelon, 2008, not yet cataloged, 0.47 euro

This species was written up for an issue from Staffa in *Biophilately* Volume 55 (2), page 73.



WILSON'S WARBLER, Wilsonia pusilla

Parulidae (197.070)

Eynhallow, 1982, 60 pence

Length: 5 inches, migratory. The male (shown on the stamp) is olive-green above and yellow below and face with a black cap; the female lacks the black cap.

Habitat: open coniferous woodlands.

Range: Breeds in northern North America; winters from Mexico to Panama.

Reference: Curson, J, D. Quinn and D. Beadle. Warblers of the America.



SCARLET-BROWED TANAGER, Heterospingus xanthopygius

Thraupidae (199.082) Eynhallow, 1982, 1 pound

Length: 7 inches, sexes similar, but the female is duller), resident. Black with scarlet brow, white pectoral tufts and a yellow rump.

Habitat: humid and wet forest.

Range: Eastern Panama to western Ecuador.

Reference: Ridgely. R. S. and G. Tudor. The Birds of South America, Vol. I.



PURPLISH-MANTLED TANAGER, Iridisornis

porphyrocephala Thraupidae (199.146)

Bernera, 1982, 1 pound

Length: 6 inches, sexes alike, resident. Blue with a yellow throat and purplish crown and nape.

Habitat: lower growth of humid forest.

Range: Colombia and northwestern Ecuador.

Reference: Ridgely. R. S. and G. Tudor. The Birds of South America, Volume I.



SILVER-THROATED TANAGER, Tangara

icterocephala Thraupidae (199.194) Bernera, 1982, 1 pound

Length: 5 inches, sexes similar but the female is duller, resident. Golden yellow with black streaks on the back and a silvery throat patch.

Habitat: humid forest.

Range: Costa Rica to southwestern Ecuador.

Reference: Ridgely. R. S. and G. Tudor. The Birds of

South America, Volume I.



VOLCANO JUNCO, Junco vulcani Embirizidae (201.310)

Grunay, 1982, 1982, 75 pence

Length: 6.5 inchs, sexes alike, resident. Brown above and grayish below.

Habitat: forages on the ground above 10,000 feet.

Range, Costa Rica and western Panama.

Reference: Ridgely, R. S. and J. A. Gwynne. A Guide to the Birds of Panama.

REPORT ON NTSS-2008 IN PORTLAND, OREGON

The show was most enjoyable, with the usual array of meetings for various study groups and you will find the Secretary's report on page . The exhibits were very good and I list those with a 'Biology' connection below.

One-frame Grand award Phil Stager (Florida) The Royal Palm The Donkey in Man's World Bob Mather (Wisconsin) Multi-frame gold award Microcosmos Alan Hanks (Ontario) Multi-frame gold award Vincent de Luca (California) Multi-frame vermeil award The Olive -Olea europaea Penguin Paradigms Terri Edwards (Nevada) Multi-frame vermeil award Multi-frame vermeil award Big Cats & Humans Greg Balagian (RhodeIsland) **Evolution of Horse Breeds** Donna Trathen (Alberta) Multi-frame silver award Beavers: Nature's Engineers Larry Davidson (Ontario) Display gold award Ramboo Phil Stager (Florida) Display gold award The Rainbow Trout Tim Bartshe (Colorado) One-frame vermeil award

The Biology Unit award (a book) went to *Microcosmos*. All in all, a very good show, and I managed to find some nice items for my British Africa collections!