NEW BIRDS IN THE PHILATELIC AVIARY Charles E. Braun -BU 1364

The bird identified as the AHANTA FRANCOLIN in BP 57(3), page 130, has now been correctly identified as a YELLOW-NECKED FRANCOLIN, *Francolinus leucoscepus*. The bird is misidentified on the stamp as a bird that occurs in Guinea-Bissau, the issuing country. The Yellow-necked Francolin is a bird of east Africa. It is a new species and is written up below.



Fiji has issued a set of stamps showing four "subspecies" of "Red-breasted Musk Parrot". Current taxonomy recognizes two species: Red Shining-Parrot, *Prosopeia tabuensis* with two subspecies (*P.t. tabuensis* and *P.t. taviunensis*) and Crimson Shining-Parrot, *Prosopeia splendens*. The Fiji 65-cent stamp, *Prosopeia tabuensis koroensis*, is a form of *Prosopeia tabuensis tabuensis* found on the island of Koro. The 90-cent stamp, *Prosopeia tabuensis atrogularis*, is a form of *Prosopeia tabuensis tabuensis tabuensis tabuensis* found on the islands of Kio and Vanua Levu. The \$1.50 stamp, *Prosopeia tabuensis taviunensis*, is a new subspecies on stamps that is found on the islands of Taviuni and Ngamea. The \$2 stamp, *Prosopeia tabuensis splendens*, shows the Crimson Shining-Parrot, *Prosopeia splendens*.

The Red Shining-Parrot has been shown on issues from Tonga (where the bird has been introduced beginning in 1897. The Crimson Shining-Parrot has been shown on issues from Fiji beginning in 1959.



Yap Monarch

Identification of the Yap Monarch on these stamps from Micronesia was questioned. Could these show the same species? Yes, Micronesia 1988, C36, \$1 shows a juvenile bird. Micronesia 1998, 299d, 50 cents shows an adult male.



GRAY-HOODED SUNBIRD, *Aethopyga primigenia* Nactariniidae (164.104) Philippines, 2008, not yet cataloged, 7 pesos

Length: 5 inches, sexes alike, resident. Brown above and white below with a gray hood and yellow sides.

Habitat: montane forest and forest edges.

Range: eastern Mindanao, Philippines.

Reference: Cheke, R.A., C.F. Mann and R. Allen. Sunbirds.



MOUNT APO SUNBIRD, *Aethopyga boltoni* Nectariniidae (164.105) Philippines, 2008, not yet cataloged, 7 pesos

Length: 5 inches, resident. The male (shown on the stamp) is brown above and yellow below with a metallic green forehead and yellow rump; the female is olive gray with streaking on the throat and upper breast and a yellow belly. Habitat: montane forest.

Range: Mindanao, Philippines.

Reference: Cheke, R.A., C.F. Mann and R. Allen. Sunbirds.

PILIPINAS

LINA'S SUNBIRD *Aethopyga linaraborae* Nectariniidae (164.106) Philippines, 2008, not yet cataloged, 7 pesos

Length: 5 inches, resident. The male (shown on the stamp) is metallic green and blue above and yellow below with orange in the center of the breast, scarlet pectoral tufts and yellow rump; the female is nonmetallic with streaks below and no yellow rump.

Habitat: montane mossy forest.

Range: eastern Mindanao, Philippines.

Reference: Cheke, R.A., C.F. Mann and R. Allen. Sunbirds.



FLAMING SUNBIRD, *Aethopyga flagrans* Nectariniidae (164.107) Philippines, 2008, not yet cataloged, 7 pesos

Length: 5 inches, resident. The male (shown on the stamp) is brown above and yellow below with a metallic blue-green crown, metallic purple chin and dull black throat to breast; the female is olive-green above and pale gray below with a pale yellow breast patch.

Habitat: forest, forest edge and secondary growth.

Range: Luzon, Catanduanes, Guimares Panay and Negros, Philippines.

Reference: Cheke, R.A., C.F. Mann and R. Allen. Sunbirds.



METALLIC-WINGED SUNBIRD, *Aethopyga pulcherrima* Nectariniidae (164.108)

Philippines, 2008, not yet cataloged, 7 pesos

Length: 5 inches, resident. The male (shown on the stamp) has a dark metallic blue or green forehead, yellow throat and breast and metallic green wings; the female is olive-green above and dull olive-gray below with a yellow rump. Habitat: forest, forest edge, secondary growth and banana plantations. Range: Luzon, Basilan, Dingat, Leyte, Mindanao, Samar, Biliran and Bohol, Philippines.

Reference: Cheke, R.A., C.F. Mann and R. Allen. Sunbirds.



LOVELY SUNBIRD, *Aethopyga shelleyi* Nectariniidae (164.110) Philippines, 2008, not yet cataloged, 7 pesos


Length: 5 inches, resident. The male (shown on the stamp) has a metallic crown and upper tail, dark red sides of head to upper back and yellow breast; the female is olive green above and grayish below.

Habitat: forest, forest edge, scrub and secondary growth.

Range: Philippines.

Reference: Cheke, R.A., C.F. Mann and R. Allen. Sunbirds.





Australia, 2008, not yet cataloged, \$1.10 - the bird is on the lower left.

Length: 20 to 22 inches, sexes alike, resident. Black with long throat hackles. Habitat: woodland. Range: eastern Australia (except northern coast), southern and southwestern Australia.

Reference: Slater, P.A. Field Guide to Australian Birds, Volume Two.



WARBLING VIREO, *Vireo gilvus* (193.022) (probable) Guinea, 2007, not yet cataloged, 7500 francs (the bird is on the right).

Length: 5 inches, sexes alike, migratory. Olive above and whitish below with a plain white eyebrow stripe. Habitat: woodland.


Range: breeds from Alaska and southeastern Canada to Virginia and eastern Texas; winters in Mexico and Guatemala. Reference: Peterson, R.T. A Field guide to the the Birds.



America, Volume I.

MEDIUM GROUND-FINCH, Geospiza fortis Embirizidae (201.318)

Peru.



истовина оснаи Хсп

Bosnia Herzegovina, 2008, not yet cataloged, 1.50m The bird is on the upper left.

BURNISHED-BUFF TANAGER, *Tangaracayana* Thraupidae

Length: 5.5 inches, sexes similar, resident. Ochraceous-buff above and sides and black face to median belly with bluish wings and tail.

Range: northeastern Colombia to northeastern Argentina; eastern

Reference: Ridgely, R.S., and G. Tudor. The Birds of South

Length: 5 inches, sexes alike, resident. Black with a medium-sized bill.

Habitat: arid regions.

Range: Galapagos Islands.

Reference: Harris, M. A Field Guide to the Birds of the Galapagos.

WARBLER FINCH, Certhidea olivacea Embirizidae (201.329) Bosnia Herzegovina, 2008, not yet cataloged, 1.50m The bird is to

the left of the portrait.

Length: 4 inches, sexes alike, resident. Gravish above and buffy below with a small thin pointed bill.

Habitat: the humid zone is preferred, but dry areas are tolerated.Range: Galapagos Islands.

Reference: Harris, M. A Field Guide to the Birds of the Galapagos.



YELLOW-GREEN GROSBEAK, Carvothraustes canadensis Cardinalidae

(202.019)Surinam, 2008, not yet cataloged, \$2.50

Length: 7 inches, sexes alike resident. Yellowish-olive above and yellow below with a conspicuous black face. Habitat: humid forest. Range: eastern Colombia to coastal eastern Brazil. Reference: Ridgely, R.S. and G. Tudor. The Birds of South America, Volume 1.

163

Brazil, 2008, not yet catalogued, 2r

Habitat: savanna, scrub and sparse woodland.

(199.182).

NEW BIRDS



of the World, Volume 1.



TAHITI PETREL, Pterodroma rostrataProcellaridae (011.010)New Caledonia, 2008 not yet cataloged, 110 france

Length: 17 to 18 inches, sexes alike, disperses. Dark brown head, neck and above and white below. Habitat: marine. Range: Bismarcks to Marquesas. Reference: del Hoyo, J., A. Elliott & J. Sargatal, Eds. Handbook of Birds

OLIVE IBIS, *Bostrychia olivacea* Threskiornithidae (024.011) Sao Tome and Principe, 2008, not yet cataloged, 10,000 d

Length: 26 to 30 inches, sexes alike, resident. Dark with a shaggy crest, black face and red bill. The stamp shows the subspecies *Bostrychia olivacea bocagei*, Dwarf Olive Ibis, that occurs on Sao Tome Island and is four inches smaller than the mainland subspecies.

Habitat: moist forest undergrowth and mangroves.

Range: Sao Tome; Sierra Leone to Gabon and Tanzania. Reference: del Hoyo, J., A. Elliott & J. Sargatal, Eds. Handbook of Birds of the World, Volume 1.



GENYORNIS *Igenyornis newtoni* Dromornithidae Australia, 2008, not yet cataloged, 55 cents

Am ostrich-sized flightless bird that became extinct about 50,000 B.C. when humans arrived in Australia. This predator and scavenger was most closely related to waterfowl.

Habitat: arid forest and scrub.

Range: extinct, formerly Australia. Reference: Wikipedia.



PHILIPPINE HAWK-EAGLE, *Spizaetus philippensis* Accipitridae (030.235) Philippines, 2008, not yet cataloged, 7 pesos

Length: 22 to 24 inches, sexes alike, resident. Brown above and spotted rufous below with a long crest.

Habitat: forest in lowlands and foothills.

Range: Philippines.

Reference: del Hoyo, J., A. Elliott & J. Sargatal, Eds. Handbook of Birds of the World, Volume 2



YELLOW-NECKED FRANCOLIN, Francolinus leucoscepus

Phasianidae (038.048) Guinea-Bissau, 2008, not yet cataloged, 500 francs

Length: 14 inches, sexes similar, resident. Habitat: open savanna, scrub and fields. Range: southeastern Sudan to north-central Tanzania. Reference: del Hoyo, J., A. Elliott & J. Sargatal, Eds. Handbook of Birds of the World, Volume 2



BLUE-CROWNED RACQUET-TAIL, *Prioniturus discursus* Psittacidae (074.119) Philippines, 2008, not yet cataloged, 7 pesos

Length: 11 inches, resident. The male (shown on the stamp) is yellowish green with a racquet tail; the female is green.

Habitat: forests and plantations.

Range: Philippines except Palawan.

Reference: del Hoyo, J., A. Elliott & J. Sargatal, Eds. Handbook of Birds of the World, Volume 4.



LONG-WHISKERED OWLET, *Xenoglaux loweryi* Strigidae (078.156) Peru, 2008, not yet cataloged 7.50 sols

Length: 5 inches, sexes alike, resident. Warm brown with a vermiculated whitish belly and long whiskers around the bill and facial disc. Habitat: humid cloudforest. Range: northern Peru. Reference: del Hoyo, J., A. Elliott & J. Sargatal, Eds. Handbook of Birds of the World, Volume 5.



PAPUAN HAWK-OWL, Uroglaux dimorpha Strigidae

(078.190) Congo (Kinshasa), 2007, not yet cataloged, 600 FC

Length: 12 to 13 inches, sexes alike, resident. Barred brown and black above and black-streaked light buff below with yellow eyes and a long tail.

Habitat: lowland forest and forest edge.

Range: northwestern and southeastern New Guinea.

Reference: del Hoyo, J., A. Elliott & J. Sargatal, Eds. Handbook of Birds of the World, Volume 5.



RUFOUS-TAILED HUMMINGBIRD, *Amazilia tzacatl* Trochilidae (086.149)

Nicaragua, 2007, not yet cataloged, 11.50 cor

Legth: 3 to 4.5 inches, resident. The male (shown on the stamp) is green with an ashy-gray belly and a rufous uppertail; the female has a white belly.

Habitat: forest edges, clearings and plantations.

Range: southern Mexico to western Ecuador.

Reference: del Hoyo, J., A. Elliott & J. Sargatal, Eds. Handbook of Birds of the World, Volume 5.



RUFOUS-HEADED WOODPECKER, Celeus spectabilis Picidae (104.165) Prazil 2008 pat yet estaloged 1.40 r

Brazil, 2008, not yet cataloged, 1.40 r

Length: 11 inches, resident. The male (shown on the stamp) has a bushycrested red and rufous-chestnut head and a yellow belly with broad black bars; the female lacks the red in the head and the black bars on the belly. The stamp shows the subspecies *Celeus spectabilis obrieni*, Kaempfer's Woodpecker, recently rediscovered in Brazil.

Habitat: humid tropical forest.

Range: eastern Ecuador to extreme western Brazil; Piaui Province in eastern Brazil.

Reference: del Hoyo, J., A. Elliott & J. Sargatal, Eds. Handbook of Birds of the World, Volume 7.



World, Volume 7.

RED-NECKED WOODPECKER, *Campephilus rubricollis* Picidae (104.176) Surinam, 2008, not yet cataloged, \$4

Length: 12 to 13 inches, sexes similar, resident. The male (shown on the stamp) is black above and rufous-cinnamon below with a crimson head, neck and chest; the female is darker and has a white wedge on the face.

Habitat: forest and forest edges.

Range: Colombia to Bolivia and northeastern Brazil.

Reference: del Hoyo, J., A. Elliott & J. Sargatal, Eds. Handbook of Birds of the



PLAIN-THROATED SUNBIRD, *Anthreptes malacensis* Nectariniidae (164.007)

Philippines, 2008, not yet cataloged, 7 pesos

Length: 5 inches, resident. The male (shown on the stamp) is dark above, head and throat yellow below; the female is grayish olive-green above and yellow around the eyes and below.

Habitat: forest, coastal scrub, mangroves and open swamp. Range: western Burma to Vietnam, the Philippines and Lesser Sundas. Reference: Cheke, R.A., C.F. Mann and R. Allen. Sunbirds.